


V:\CAD Files\E Dwg\E-5B Alternate Lot Drainage.dwg 10-17-11 11:00:17 AM eli.mcfarland



* TO MEET EXISTING GRADE

POINT 'B' REPRESENTS A MINIMUM DISTANCE OF 10' FROM PAD IN EACH DIRECTION.

NOTES:

1. PAD ELEVATION TO BE 0.5' ABOVE ELEV. B. NO ELEVATION ON LOT SHALL BE HIGHER THAN PAD ELEVATION.
2. FINISHED PAD SHALL BE SUFFICIENTLY ELEVATED TO PLACE LOWEST FLOOR AT OR ABOVE BASE FLOOD LEVEL. EXCEPTIONS TO BE REVIEWED AND APPROVED BY JURISDICTION.
3. STORM DRAIN CONTROL SHALL BE IMPLEMENTED TO PREVENT FLOODING ADJACENT PROPERTY, AND TO PREVENT EROSION AND RETAIN SOIL RUNOFF ON THE SITE. RETENTION BASIN, FILTERED BARRIERS, WATTLE OR OTHER APPROVED METHOD AS REQUIRED.

Spec's By _____	COUNTY OF MADERA	Date: 8-21-98
Drawn By <u>J. SHIELDS</u>		Scale: NONE
APPROVED BY _____	ALTERNATE LOT DRAINAGE	Drawing No. E-5B
REVISIONS		8/1/02