



S:\ENG\STANDARD PLANS\County\ST-21 Utility Location.DWG 2-27-12 12:56:15 PM jchandler



**NOTES:**

1. WATER MAINS MAY BE PLACED TO THE NORTH OR WEST OF THE CENTERLINE OF THE STREET.
2. SEWER MAINS MAY BE PLACED THREE FEET (3') SOUTH OR EAST OF THE CENTERLINE OF THE STREET.
3. ALL UNDERLYING SEWER PIPE AND SEWER SERVICES SHALL BE HIGH PRESSURE PIPE WHERE THE WATER MAIN ABOVE IS 4" DIAMETER OR LARGER AND THE CLEARANCE IS 12" OR LESS.
4. MINIMUM HORIZONTAL CLEARANCE BETWEEN WATER AND SANITARY SEWER MAINS SHALL BE 10 FEET.
5. STORM DRAINS SHALL BE PLACED ON THE SAME SIDE OF THE STREET WITH THE SEWER MAINS.
6. IDENTIFY WATER AND SEWER SERVICES WITH "W" AND "S" ON CURB FACE.
7. PRIOR TO ANY WORK WITHIN RIGHT-OF-WAY, THE APPLICANT MUST APPLY FOR AND RECEIVE AN APPROVED ENCROACHMENT PERMIT FROM THE ROAD DEPARTMENT.

ODPC - OUTSIDE DIAMETER PIPE CLEARANCE

DISTANCE SCHEDULE	A	B	C
60' STREET	6'	33'	6'
80' STREET	6'	43'	6'
100' STREET	6'	53'	6'

DRAWN BY \_\_\_\_\_  
 DATE 7/1/1981  
 REVISED BY J.S.C.  
 DATE 3/2/2011

**COUNTY OF MADERA**

**UTILITY LOCATION  
IN STREET**

DRAWING NO.  
  
ST-21