



Community and Economic Development Planning Division

Jamie Bax 
Deputy Director

- 200 W. 4th Street
- Suite 3100
- Madera, CA 93637
- (559) 675-7821
- FAX (559) 675-6573
- TDD (559) 675-8970
- mc_planning@maderacounty.com

PLANNING COMMISSION DATE: March 3, 2020

AGENDA ITEM: #1

CUP	#2019-029	Conditional Use Permit for Cell Tower
APN	#064-062-041	Applicant: Crown Castle
		Owner: Wilkins Enterprises
CEQA	MND #2020-01	Mitigated Negative Declaration

REQUEST:


The applicant is requesting a Conditional Use Permit #2019-029 to allow installation of a new unmanned wireless facility.

LOCATION:

On the south side of Vista Heights Lane approximately 600 feet east of its intersection with Live Oak Drive (no situs), Oakhurst.

ENVIRONMENTAL ASSESSMENT:

A Mitigated Negative Declaration (MND #2020-01) (Exhibit O) has been prepared and is subject to approval by the Planning Commission.



RECOMMENDATION: Approval of Conditional Use Permit #2019-029 subject to conditions, Mitigated Negative Declaration #2020-001 and associated Mitigation Monitoring Program.

GENERAL PLAN DESIGNATION (Exhibit A):

SITE: CC (Community Commercial) Designation

SURROUNDING: CC (Community Commercial) Designation; RR (Rural Residential) Designation

OAKHURST AREA PLAN DESIGNATION (Exhibit A-1):

SITE: CC (Community Commercial) Designation

ZONING (Exhibit B):

SITE: PDD (Planned Development) District

SURROUNDING: PDD (Planned Development) District; CUM (Commercial Urban Median) District; RUM (Residential Urban Multiple Family) District; RRM (Residential Rural Single Family) District

LAND USE:

SITE: Commercial

SURROUNDING: Commercial; Residential

SIZE OF PROPERTY: 0.8 Acre

ACCESS (Exhibit D): The property is accessed by Greenwood Way.

BACKGROUND AND PRIOR ACTIONS:

General Plan Amendment (GP #86-14) from RUS (Residential, Urban Single Family Designation to CM (Commercial, Median) Designation.

Rezone (CZ #86-87) from RUM (Residential Urban Multi-Family) District to PCD (Planned Commercial Development) District.

Conditional Use Permit (CUP 86-56) to allow a mini-storage facility.

PROJECT DESCRIPTION:

This is a request for a Conditional Use Permit to allow a new unmanned wireless facility. The project will include a 40' x 30' AT&T Lease Area with a prefabricated 8' x 10' concrete equipment shelter, and a 149' monopole tower. The project site will be accessed by Greenwood Way. The proposed communication tower will be replacing the tower approximately 0.5 miles to the north which is no longer meeting coverage needs.

A mini-storage facility is currently in operation on the parcel. The 40' x 30' lease area where the project will be constructed is located on the north east corner of

the parcel. The project site is surrounded by a mix of commercial businesses and multi-family housing.

The proposed installation of this new telecommunications facility will improve wireless coverage to the area and will also increase network capacity. This network will provide an extremely valuable service to those who live, travel, and do business in the local area. It will give people the ability to call for emergency services in the event of an accident, the ability to communicate with employees or clients outside of the office, and the ability to communicate with family members when needed. The project engineer has indicated that the proposed location will provide the necessary coverage and capacity with the ability to hand off the wireless signal to the next telecommunications site. This will enable travelers and community members to have reliable and continuous wireless coverage.

ORDINANCES/POLICIES:

Chapter 18.67 of the Madera County Zoning Ordinance outlines the permitted uses within the PPD (Planned Development) District.

Chapter 18.92 of the Madera County Zoning Ordinance outlines the procedures for the processing and approval of conditional use permits.

Part 1 of the Madera County General Plan outlines the CC (Community Commercial) designation.

Oakhurst Area Plan outlines the CC (Community Commercial) designation for the community of Oakhurst and refines the goals of the County's General Plan and provides more detailed guidance for future growth and development in the Oakhurst community of Eastern Madera County.

Telecommunications Act of 1996 authorizes local jurisdictions the discretionary authority over new cellular tower approvals.

ANALYSIS:

Under the Telecommunications Act of 1996, local jurisdictions have discretionary authority over placement of new cellular towers in their jurisdictions. It is only when existing cellular towers are being modified (i.e. new antennas, new ground based equipment, etc.) that local jurisdictions cannot deny the request.

The applicant is requesting to construct a new unmanned wireless facility which will include a 30'x40' lease area with an 8'x10' equipment shelter, and a new 149' monopole tower. The access to the project will be from Greenwood Way. The proposed communication tower will be replacing the tower approximately 0.5 mile to the north which is no longer meeting coverage needs.

The parcel is currently operating as a mini-storage which was approved by Conditional Use Permit (CUP 86-56) in October, 1986. The project site is surrounded by thick vegetation and trees and is not visible from Greenwood Way or Vista Heights Lane. A multi-family apartment complex is located across Vista Heights Lane to the north. To the south and west are commercial businesses and to the east is a hotel.

The location of towers in comparison to other cell towers is dependent on several factors. These factors include terrain, signal strength, the amount of calls and data usage, population of the area, and obstructions such as buildings and mountainous terrain. The average distance between towers is two to four miles. Cell phone connectivity is also dependent on the terrain, power of the transmitter in the tower, size of the cellphone network and the design capacity of the network.

Historically, the County has tried to limit the amount of new towers, and proximity to each tower, due to aesthetic concerns and public response to towers. There are two cell towers between 0.5 and 1.0 miles from the site. One is 0.5 miles north of the project site and a second tower 0.9 mile to the southwest (Exhibit D-10). The proposed tower will be replacing the tower to the north which is no longer meeting coverage needs.



The Crown tower to the southwest # 823591 is 4,900 feet from the existing tower, this distance is too far from the Crown tower # 845851 to the north to meet the current RF broadcast objectives that AT&T currently has. Crown tower # 823591 is 135 feet in height and is at a 2,373 foot ground elevation. Crown tower # 845851 is 82 feet in height and is at a 2,576 foot ground elevation. Crown tower # 823851 has room on the tower for another carrier but at height of 65' which will not provide coverage needs for the area. Changing AT&T from Crown tower 845851 to 823591 results in a ground elevation loss of 203' and a loss in tower height of 17' so the replacement of tower #845851 is the most viable option for maximum coverage in the area.

Aesthetically, the monopole option for the tower is believed to be less visible and intrusive to the surrounding area than a stealth design due to the mass that would be needed to design a stealth tower. While the antennas may be seen at the top of the tower the rest of the tower is narrow. If the applicant were to branch the tower it would be about eight feet wide at the top and about 30 wide at the bottom.

Painting the tower a color to match the horizon and using 3M film on the antennas that mimics the skyline would help in minimizing visibility of the tower.

Cellular providers utilize their own variables as well to locate facilities. These variables include local zoning regulations, topography, existing structures, co-location opportunities, site access, available utilities and a willing landlord. Coverage is also taken into account, specifically areas where there is limited or no coverage available.



Access to the site will be via Greenwood Way, approximately 750 feet east of its intersection with Road 425A. There is an existing gravel road on the property to access the site. The road access must meet current driveway standards prior to the issuance of a building permit for the project. The project site is a 40'x30' lease area on the north east section of the parcel. No water will be used as a result of operations. No trash, water or wastewater will be generated by this project.

There will be a minor increase of traffic in the area for the duration of construction of the site. Operationally, a maintenance technician will visit the site once or twice a month for approximately half an hour at a time. The cell tower facility will be unmanned aside from the maintenance technician visits.

Per the Airport Land Use Compatibility Plan, any cell tower structure within the airport compatibility zones that are 150 feet in height from ground level to peak of tower or higher would be under the Airport Land Use Commission (ALUC) purview for review of compatibility (ALUC Policy 3.5.1). This height measurement is independent of the elevation at ground level. As this monopole style tower is 149' (one hundred forty nine feet) in height at peak, and is outside the compatibility zones for both airports, an ALUC review is not necessary.

The general plan designation of CC (Community Commercial) allows for public and quasi-public uses. Quasi-public uses are typically defined as essentially public (as in services rendered) under private ownership or control. Public uses include public utilities. The zoning designation of PDD (Planned Development) District allows for any use consistent with the Madera County general plan land use category applicable to the subject property and which will not be in conflict with the public health, safety and welfare. A communication tower with a conditional use permit is consistent with the zoning ordinance.

Cellular radio services transmit using frequencies between 800 and 900 megahertz. Antennas used for cellular transmissions are typically located on towers, water tanks or other elevated structures. The combination of antennas and associated electronic equipment is referred to as a “base station.” Typical heights for free standing base station towers are 50 – 200 feet. A cellular base station may utilize several “Omni-direction” antennas (which are less common) or “sector” antennas. Sector antennas are rectangular panels usually arranged in three groups of three each. One antenna in each group is used to transmit signals to mobile units (cell phones) and the other two in each group are used to receive signals from mobile units.

Wireless services are delivered using radio waves, which are a form of radiofrequency (RF) energy. RF energy is, in turn, a form of electromagnetic energy. Electromagnetic “radiation” can be best described as waves of electric and magnetic energy moving together (“radiating”) through space. These waves are generated by the movement of electrical charge such as in a conductive metal or antenna. Studies have shown that environmental levels of RF energy routinely encountered by the general public are far below levels necessary to produce significant effects. A variety of studies have also been conducted on the effects of exposure to low levels of RF radiation. An FCC (Federal Communication Commission) report has stated that any evidence that such low-level exposure causes harmful effects is ambiguous and unproven.

In 1996 the FCC adopted updated guidelines for evaluating human exposure to radiofrequency (RF) fields from transmitting antennas such as those used for cellular radio. The new guidelines for cellular base stations are identical to those recommended by the National Council on Radiation Protection and Measurements (NCRP). These guidelines are also essentially the same as the 1992 guidelines recommended by the American National Standards Institute and the Institute of Electrical and Electronics Engineers (ANSI/IEEE C95.1-1992).

In the case of cellular and PCS (Personal Communication Service) cell site transmitters, the FCC’s RF exposure guidelines recommend a maximum permissible exposure level to the general public of approximately 580 microwatts per square centimeter. This limit is many times greater than RF levels typically found near the base of cellular or PCS cell site towers or in the vicinity of other, lower-powered cell site transmitters. Calculations corresponding to a “worst-case” situation (all transmitters operating simultaneously and continuously at the maximum licensed power) show that, in order to be exposed to RF levels near the FCC’s guidelines, an individual would essentially have to remain in the main transmitting beam and within a few feet of the antenna for several minutes or longer. Thus, the possibility that a member of the general public could be exposed to RF levels in excess of the FCC guidelines is extremely remote.

Measurements made near typical cellular and PCS installations, especially those with tower-mounted antennas, have shown that ground-level power densities are thousands of times less than the FCC's limits for safe exposure. Therefore, in order to be exposed to levels at or near the FCC limits for cellular frequencies, an individual would essentially have to remain in the main transmitting beam (at the height of the antenna) and within a few feet from the antenna. This makes it extremely unlikely that a member of the general public could be exposed to RF levels in excess of those guidelines due to cellular base station transmitters.

The FCC authorizes and licenses devices, transmitters and facilities that generate RF and microwave radiation. It has jurisdiction over all transmitting services in the US. Under the National Environmental Policy Act of 1969 (NEPA), the FCC has certain responsibilities to consider whether its actions will significantly affect the quality of the human environment. Therefore, FCC approval and licensing must be evaluated for significant impact on the environment. Human exposure to RF radiation emitted by FCC-regulated transmitters is one of several factors that must be considered in such environmental evaluations.

Major RF transmitting facilities under the jurisdiction of the FCC, such as cellular and PCS facilities, are required to undergo routine evaluation for RF compliance whenever an application is submitted to the FCC for construction or modification of a transmitting facility or renewal of license. Failure to comply with the FCC's RF exposure guidelines could lead to the preparation of a formal Environmental Assessment, possible Environmental Impact Statement and eventual rejection of an application.

The signals from a cellular base station antenna are essentially directed toward the horizon in a relatively narrow pattern in the vertical plane. The radiation pattern for Omni-directional antenna might be compared to a thin doughnut or pancake centered around the antenna, while the pattern for a sector antenna is fan-shaped, like a wedge cut from a pie. As with all forms of electromagnetic energy, the power density from a cellular or PCS transmitter decreases rapidly as one moves away from the antenna. Consequently, normal ground-level exposure is much less than exposures that might be encountered if one were very close to the antenna and in its main transmitted beam.

The project was circulated to County Departments and outside regulatory agencies for comments and conditions. This included the San Joaquin Valley Air Pollution Control District, Regional Water Quality Control, Department of Fish and Wildlife, State Regional Water Quality Control, the Chowchilla Yokuts Tribe, Picayune Rancheria of Chukchansi, Table Mountain Rancheria, the Duma Tribe, and Sheriff's Department. Comments were received from the Environmental

Health Division, Building and Fire Safety Division, California Department of Transportation, Madera County Sheriff's Office and the Picayune Rancheria. The California Department of Transportation and the Picayune Rancheria had no concerns with the project.

The Department of Fish and Wildlife (formally the Department of Fish and Game) did not respond with comments on the project. A review of their database of species did indicate species potentially being present in the quadrangle in which the project is located. This indication does not imply that said species are or were occurring on the project site. It is not anticipated that any problems will exist as a result of migration of any species as a result of this project.

If this project is approved, the applicant will need to submit a check, made out to the County of Madera, in the amount of \$2,506.75 to cover the Notice of Determination (CEQA) filing at the Madera County Clerks' office. The amount covers the \$2,456.75 Department of Fish and Wildlife fee that took effect January 1, 2020 and the County Clerk \$50.00 filing fee. In lieu of the Fish and Wildlife fee, the applicant may choose to contact the Fresno office of the Department of Fish and Wildlife to apply for a fee waiver. The County Clerk Fee, Department of Fish and Wildlife Fee (or waiver if approved) is due within five days of approval of this permit.

FINDINGS OF FACT:

The following findings of fact must be made by the Planning Commission to make a finding of approval of the project. Should the Planning Commission vote to approve the project, Staff recommends that the Planning Commission concur with the following:

1. *The proposed project does not violate the spirit or intent of the Zoning Ordinance.* The parcel is zoned PDD (Planned Development) District. The zoning designation allows for any use consistent with the Madera County general plan land use category applicable to the subject property and which will not be in conflict with the public health, safety and welfare. A communication tower with a conditional use permit is consistent with the zoning ordinance. The conditional use permit process requires submittal of supporting documentation that allows the jurisdiction to analyze the project for health, safety and welfare issues in order to make a recommendation. The approved conditional use permit provides the local jurisdiction the authority to ensure that the proposed project is maintained in a safe manner in accordance to the conditions included in the approval. Any changes to the plans would have to come back to the jurisdiction for review. Under the Telecommunications Act of 1996, local jurisdictions have discretionary authority over placement of new cellular towers in their

jurisdictions.

2. *The proposed project is not contrary to the public health, safety, or general welfare.* With the wider use of cell phones, and the decreasing use of land-line phones, the proposed use is intended to increase cell phone coverage in remote areas. This increase is beneficial to local residents, visitors and emergency responders in that cell phone coverage is increased and will provide for better response times in the event of emergencies. This is beneficial to the health, safety and welfare of all involved.
3. *The proposed project is not hazardous, harmful, noxious, offensive, or a nuisance because of noise, dust, smoke, odor, glare, or similar factors.* The project must adhere to the conditions of approval as well as mitigation measures. By its' nature, the project will not generate hazardous, harmful, noxious or offensive odors. While electromagnetic radio frequencies have been a concern of the general public, due to the height of the antennas, and the power output of antennas, the health risk is minimal. A variety of studies have been conducted on the effects of exposure to low levels of radiation. An FCC (Federal Communications Commission) report has stated that any evidence that such low level exposures causes "harmful biological effects is ambiguous and unproven."
4. *The proposed project will not cause a substantial, adverse effect upon the property values and general desirability of the surrounding properties.* The project as designed will not have an adverse effect upon the property values and general desirability of the surrounding properties. Aesthetically, the cell tower is barely noticeable unless immediately adjacent to it, and there are power and telephone poles in the region already, so the proposed project will not be creating any new impacts. In this day and age, cellphones are more common place than land line phones, thus the infrastructure to support cellular phones needs to be in place and functioning.

WILLIAMSON ACT:

The property is not subject to a Williamson Act Contract.

GENERAL PLAN CONSISTENCY:

The General Plan designation and the Area Plan designation for the parcel is CC (Community Commercial) Designation which allows for retail, wholesale, services, restaurants, professional and administrative offices, hotel and motels, public and quasi-public uses, and similar compatible uses. The property is zoned PDD (Planned Development) District which allows for any use consistent with the Madera County general plan land use category applicable to the subject property

and which will not be in conflict with the public health, safety and welfare. A cell towers with a conditional use permit is consistent with the General Plan. The General Plan and Zoning designations are consistent and compatible with each other.

RECOMMENDATION:

The analysis provided in this report supports approval of Conditional Use Permit (CUP #2019-029) and Mitigated Negative Declaration (MND #2020-001).

CONDITIONS

See attached.

ATTACHMENTS:

1. Exhibit A, General Plan Map
2. Exhibit A-1, Oakhurst Area Plan Map
3. Exhibit B, Zoning Map
4. Exhibit C, Assessor's Map
5. Exhibit D, Overall Site Plan
6. Exhibit D-1, Equipment Plan
7. Exhibit D-2, Elevations
8. Exhibit D-3, AT&T Antenna Plans
9. Exhibit D-4, Estimated Coverage List and Gained
10. Exhibit D-5, Estimated Coverage on Proposed Location
11. Exhibit D-6, Estimated Coverage on 84581
12. Exhibit D-7, Aerial Map
13. Exhibit D-8. Existing and Proposed View from Highway 41
14. Exhibit D-9. Existing and Proposed View from Vista Heights Lane
15. Exhibit D-10, Towers in Area
16. Exhibit E, Aerial Map
17. Exhibit F, Topographical Map
18. Exhibit G, Operational Statement
19. Exhibit H, California Department of Transportation Comments
20. Exhibit I, Environmental Health Comments
21. Exhibit J, Fire Marshal Comments
22. Exhibit K, Planning Comments
23. Exhibit L, Picayune Rancheria Comments
24. Exhibit M, Sheriff Department Comments
25. Exhibit N, Initial Study
26. Exhibit O, Mitigated Negative Declaration MND #2020-001

CONDITIONS OF APPROVAL

PROJECT NAME:	Conditional Use Permit #2019-029, Crown Castle
PROJECT LOCATION:	On the south side of Vista Heights Lane approximately 600 feet east of its intersection with Live Oak Drive (no situs), Oakhurst.
PROJECT DESCRIPTION:	Request for a conditional use permit to allow installation of a new unmanned wireless facility.

APPLICANT:	Crown Castle - Lisa Elliot - (209) 605-2736
CONTACT PERSON/TELEPHONE NUMBER:	Annette Kephart - Madera County Planning (559) 675-7821

No.	Condition	Department/Agency	Verification of Compliance		
			Initials	Date	Remarks
Environmental Health Division					
1	The facility will be regulated under the Hazardous Material Business Plan and or Waste Generator depending on the type and/or amount of hazardous material on-site. (Article I, Chapter 6.95, of the California Health & Safety Code).				
2	If facility is already regulated by this Division the applicant must update their Hazardous Material Business Plan if the hazardous material storage location or hazardous material quantity(s) has changed.				
3	As of January 2013 all CUPA regulated businesses must submit their Hazardous Material Business Plan electronically into the California Environmental Reporting System (CERS) at: www.cers.calepa.ca.gov .				
4	Maintain all County setback requirement as it pertains to onsite septic systems and water wells.				
5	The construction and then ongoing operation must be done in a manner that shall not allow any type of public nuisance(s) to occur including but not limited to the following nuisance(s); Dust, Odor(s), Noise(s), Lighting, Vector(s) or Litter. This must be accomplished under accepted and approved Best Management Practices (BMP) and as required by the County General Plan, County Ordinances and any other related State and/or Federal jurisdiction.				
Fire Marshall Division					
1	Site access modifications in regards to gates and path of vehicle travel may be required prior to final sign off of a building permit.				
Planning Division					
1	Facility to operate in accordance with submitted Operational Statement and plans unless otherwise modified by conditions of approval and CEQA mitigation measures.				
2	The applicant shall be required to maintain the facility at an acceptable level as determined by the Planning Department regarding visual/aesthetic components of the facility until such time as the tower is removed.				
3	Lighting associated with this project is to be hooded and directed downward and away from adjoining parcels.				


No.	Condition	Department/Agency	Verification of Compliance		
			Initials	Date	Remarks
4	All parking and circulation areas within the project area shall be paved or surfaced with an approved material to reduce dust generation.				
5	Applicant shall allow co-location opportunities on the tower.				
6	The tower antennas shall be treated or coated in such a manner as to make it non-reflective.				
7	Construction and operation of the facility must meet FCC standards for radio frequency operations.				
8	An FAA approved light shall be installed at the top of the tower. The light shall be either white(preferable) or red strobe lights at the minimum number, intensity and flashes per minute shall be used.				
9	A covenant for the removal of the cell tower when no longer needed will need to be recorded with the County prior to any construction.				
10	No component of the tower or associated equipment shall create, or cause to be created electrical interference with aircraft communications or navigation.				
11	If archeological evidence is noted on the site prior to the start of construction, no work shall start without first notifying the Planning Department and completion of a Phase 3 Archeological study.				
12	The tower shall be painted a color to match the horizon and use 3M film on the antennas that mimics the skyline.				
Public Works DEPARTMENT					

MITIGATION MONITORING REPORT


MND # 2020-01

No.	Mitigation Measure	Monitoring Phase	Enforcement Agency	Monitoring Agency	Action Indicating Compliance	Verification of Compliance		
						Initials	Date	Remarks
Aesthetics								
	All exterior lighting shall be hooded and downwards, away from adjacent properties.	Construction	Madera County Planning Division	Madera County Planning Division				
	Use low-glare lighting to minimize nighttime glare effects on neighboring parcels.							
Agricultural Resources								
Air Quality								
	No idling of vehicles longer than 10 minutes							
Biological Resources								
Cultural Resources								
	If during the grading or trenching work archeological evidence is found, all work is to stop and the Planning Department is to be notified within 24 hours, or on the first work day following for weekends and holidays.	Construction	Madera County Planning Division	Madera County Planning Division				
	If archeological evidence is noted on the site prior to the start of construction, no work shall start without first notifying the Planning Division and completion of a Phase 2 archaeological study.	Pre-construction	Madera County Planning Division	Madera County Planning Division				
	If any prehistoric resources or human remains are uncovered during construction, work shall stop immediately and a qualified archeologist shall be contacted to determine further mitigation which may be needed. The County Coroner shall be contacted if human remains are found.	Construction	Madera County Planning Division	Madera County Planning Division				
Geology and Soils								
	Construct and maintain the site so as to minimize erosion during rainfall events.							
Hazards and Hazardous Materials								
	No component of the tower or associated equipment shall create, or cause to be created, electrical interference with aircraft communications or navigation.							
	The tower antennas shall be treated or coated in such a manner as to make it non-reflective.							


No.	Mitigation Measure	Monitoring Phase	Enforcement Agency	Monitoring Agency	Action Indicating Compliance	Verification of Compliance		
						Initials	Date	Remarks
	Tower must be constructed, operated and maintained pursuant to FCC guidelines regarding RF and EMF emissions.							
	An FAA approved light shall be installed at the top of the tower. The light shall be either white (preferable) or red strobe lights at the minimum number, intensity, and flashes per minute shall be used.							
Hydrology and Water Quality								
Land Use and Planning								
Mineral Resources								
Noise								
Population and Housing								
Public Services								
Recreation								
Transportation and Traffic								
Utilities and Service Systems								




GENERAL PLAN MAP



OAKHURST AREA PLAN



ZONING MAP




Assessor's Map No. 64-06
 Bass Lake School District
 County of Madera, Calif.
 1966

OAKHURST KNOLLS NO. 1 R.M. Bk. 7 Pg. 41
 OAKHURST KNOLLS NO. 2 R.M. Bk. 8 Pg. 57

ASSESSOR'S MAP

OAKHURST 845851 <small>4801 HAZEN AVENUE, SUITE 100 OAKHURST, CALIFORNIA 94551</small>	ISSUE STATUS <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>A</th> <th>DATE</th> <th>DESCRIPTION</th> <th>BY</th> </tr> <tr> <td>1</td> <td>07/17/19</td> <td>ISSUE</td> <td>U.S.</td> </tr> <tr> <td>2</td> <td>07/17/19</td> <td>REVISION</td> <td>U.S.</td> </tr> <tr> <td>3</td> <td>07/17/19</td> <td>REVISION</td> <td>U.S.</td> </tr> <tr> <td>4</td> <td>07/17/19</td> <td>REVISION</td> <td>U.S.</td> </tr> <tr> <td>5</td> <td>07/17/19</td> <td>REVISION</td> <td>U.S.</td> </tr> </table>	A	DATE	DESCRIPTION	BY	1	07/17/19	ISSUE	U.S.	2	07/17/19	REVISION	U.S.	3	07/17/19	REVISION	U.S.	4	07/17/19	REVISION	U.S.	5	07/17/19	REVISION	U.S.	 Streamline Engineering and Design, Inc. <small>4818 Main College Blvd. Suite 200, Oakhurst, CA 94551 Phone: (925) 769-1111 Fax: (925) 769-1112 Email: info@streamline-engineering.com</small>	PRELIMINARY: NOT FOR CONSTRUCTION JOHN R. SORESEN 54489	 CROWN CASTLE 4811 HAZEN AVENUE, SUITE 410 OAKHURST, CALIFORNIA 94551
A	DATE	DESCRIPTION	BY																									
1	07/17/19	ISSUE	U.S.																									
2	07/17/19	REVISION	U.S.																									
3	07/17/19	REVISION	U.S.																									
4	07/17/19	REVISION	U.S.																									
5	07/17/19	REVISION	U.S.																									
DESIGNED BY: L. HUGHES APPROVED BY: _____ DATE: 07/16/20		SHEET TITLE: OVERALL SITE PLAN & SITE PLAN SHEET NUMBER: A-1																										



SITE PLAN

OAKHURST

845851
4011 GREENWOOD WAY
DUBLIN, CALIFORNIA


ISSUE	STATUS
A	BASE DESCRIPTION
10/26/19	BY SSK
10/26/19	DATE
10/26/19	CLIENT REV.
11/14/19	CLIENT REV.
11/14/19	DATE
11/14/19	DATE

Streamline Engineering and Design Inc.
 6445 Sherris College Blvd, Suite E, Granada Bay, CA 95746
 (925) 474-8888
 Email: info@streamlineeng.com Fax: (925) 474-8888

PRELIMINARY:
NOT FOR CONSTRUCTION
KEVIN R. SPENSER
SHAPE

CROWN CASTLE
 4301 HACIENDA DR. SUITE 410
 PLEASANTON, CA 94588

SHEET TITLE	ELEVATIONS
SHEET NUMBER	A-4



ELEVATIONS

OAKHURST

845851
 4300 HAZARD DR. SUITE 410
 PLEASANTON, CA 94588

ISSUE STATUS	
A	DESCRIPTION
07/29/79	AS
10/12/79	AS
10/12/79	CLIENT REV. AS
10/14/79	CLIENT REV. AS
11/17/79	AS
11/17/79	AS
11/17/79	AS
11/17/79	AS
11/17/79	AS
11/17/79	AS
11/17/79	AS
11/17/79	AS

DRAWN BY: J. SMITH
 CHECKED BY: L. HOUTREY
 APPROVED BY: -
 DATE: 11/17/79


Streamline Engineering
 and Design Inc.
 6445 Sierra College Blvd., Suite E, Concord Bay, CA 94740
 Client: Kemp Technology, Phone: 925-870-4200
 E-Mail: info@streamlineeng.com Fax: 925-870-9000

THIS IS AN ELECTRONIC DOCUMENT. IT IS THE PROPERTY OF STREAMLINE ENGINEERING AND DESIGN INC. IT IS TO BE USED FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED. IT IS NOT TO BE REPRODUCED, COPIED, OR DISTRIBUTED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF STREAMLINE ENGINEERING AND DESIGN INC. ANY UNAUTHORIZED USE OF THIS DOCUMENT IS STRICTLY PROHIBITED.


PRELIMINARY:
 NOT FOR
 CONSTRUCTION
 KEVIN R. SORRENSEN
 5/8/85

CROWN CASTLE
 4300 HAZARD DR. SUITE 410
 PLEASANTON, CA 94588


SHEET TITLE	AT&T
ANTENNA PLANS	
SHEET NUMBER	A-3



MICROWAVE DISH PLAN @ 30' A.G.L.
 3'-x-4'-0"




MICROWAVE DISH PLAN @ 48' A.G.L.
 3'-x-4'-0"



ANTENNA PLAN @ 145' A.G.L.
 3'-x-11'-0"




AT&T ANTENNA PLANS




AT&T Estimated Coverage Lost (Red) and Coverage Gained (Black)

ESTIMATED COVERAGE LOST AND GAINED



AT&T Estimated Coverage on Proposed Location (145')

ESTIMATED COVERAGE ON PROPOSED LOCATION



AT&T Estimated Coverage on 845851 (84')

ESTIMATED COVERAGE ON 845851



 **CROWN
CASTLE**
7/19/19

Oakhurst Site # 845851
40312 Greenwood Way
Oakhurst, CA

Aerial Map

insight photosim (707) 315-1585

SHOT SITES OF VIEWS



 **CROWN
CASTLE**
7/19/19

Oakhurst Site # 845851
40312 Greenwood Way
Oakhurst, CA

Looking Northeast from Hwy 41

View #1
insight photosim (707) 315-1585

EXISTING AND PROPOSED VIEW #1




 **CROWN
CASTLE**
7/19/19

Oakhurst Site # 845851
40312 Greenwood Way
Oakhurst, CA

Looking Southeast from Vista Heights Ln.

View #2
insight photosim (707) 315-1585

EXISTING AND PROPOSED VIEW #2



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

TOWERS IN AREA



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

AERIAL MAP



TOPOGRAPHICAL MAP



Community and Economic Development
Planning Division

Matthew Treber
Director

- 200 W 4th Street
- Suite 3100
- Madera, CA 93837
- (559) 675-7821
- FAX (559) 675-6573
- TDD (559) 675-8970
- mc_planning@madera-county.com

OPERATIONAL/ENVIRONMENTAL STATEMENT
CHECKLIST

It is important that the operational/environmental statement provides for a complete understanding of your project proposal. Please be as detailed as possible.

1. Please provide the following information:

Assessor's Parcel Number: 064-062-041

Applicant's Name: Lisa Elliot - Agent for Crown Castle

Address: 8445 Sierra College Blvd Granite Bay CA 85746

Phone Number: 209-605-2736

2. Describe the nature of your proposal/operation.

Installation of a new wireless telecommunications facility

3. What is the existing use of the property?

Self storage facility

4. What products will be produced by the operation? Will they be produced onsite or at some other location? Are these products to be sold onsite?

No products produced - no products for sale

5. What are the proposed operational time limits?

Months (if seasonal): 12 months

Days per week: 7 days a week

Hours (from ___ to ___): Total Hours per day: 24 hours a day

6. How many customers or visitors are expected?

Average number per day: None - unmaned cell tower site

Maximum number per day: None

What hours will customers/visitors be there? No hours - no customers

7. How many employees will there be?

Current: None - unmanded cell tower site

Future: None

Hours they work: None

Do any live onsite? If so, in what capacity (i.e. caretaker)? None

8. What equipment, materials, or supplies will be used and how will they be stored? If appropriate, provide pictures or brochures.
No equipment, materials or supplies after site is constructed.
9. Will there be any service and delivery vehicles? No
Number: None
Type: None
Frequency: Once every three months for inspections
10. Number of parking spaces for employees, customers, and service/delivery vehicles. Type of surfacing on parking area.
None - unmanded cell tower site
11. How will access be provided to the property/project? (street name)
Access it currently provided to the property for its primary use off of Vista Heights Lane
12. Estimate the number and type (i.e. cars or trucks) of vehicular trips per day that will be generated by the proposed development.
None per day after site is constructed.
13. Describe any proposed advertising, including size, appearance, and placement.
None proposed
14. Will existing buildings be used or will new buildings be constructed? Indicate which building(s) or portion(s) of will be utilized and describe the type of construction materials, height, color, etc. Provide floor plan and elevations, if applicable.
No existing buildings will be used for this project. A new equipment shelter is proposed which is a prefabricated concrete structure.
15. Is there any landscaping or fencing proposed? Describe type and location.
No landscaping proposed. Existing facility is fenced so additional fencing required.
16. What are the surrounding land uses to the north, south, east and west property boundaries?
North - residential East - vacant land - South - municipal - West - residential
17. Will this operation or equipment used, generate noise above other existing parcels in the area?
No
18. On a daily or annual basis, estimate how much water will be used by the proposed development, and how is water to be supplied to the proposed development (please be specific).
No water required to operate a cell tower site.

19. On a daily or weekly basis, how much wastewater will be generated by the proposed project and how will it be disposed of?
None - not required
-
20. On a daily or weekly basis, how much solid waste (garbage) will be generated by the proposed project and how will it be disposed of?
None - no waste generation
-
21. Will there be any grading? Tree removal? (please state the purpose, i.e. for building pads, roads, drainage, etc.)
Development is on existing AC paving. Concrete equipment pads to be poured for ancillary equipment. Tower requires pier foundation.
-
22. Are there any archeological or historically significant sites located on this property? If so, describe and show location on site plan.
None known
-
23. Locate and show all bodies of water on application plot plan or attached map.
No bodies of water on property
-
24. Show any ravines, gullies, and natural drainage courses on the property on the plot plan.
Proposed development is on developed and paved hardscape due to primary use.
-
25. Will hazardous materials or waste be produced as part of this project? If so, how will they be shipped or disposed of?
No - none produced
-
26. Will your proposal require use of any public services or facilities? (i.e. schools, parks, fire and police protection or special districts?)
No public services required. Power and telco utilities required.
-
27. How do you see this development impacting the surrounding area?
Little to no impact.
-
28. How do you see this development impacting schools, parks, fire and police protection or special districts?
No impact
-
29. If your proposal is for commercial or industrial development, please complete the following; Proposed Use(s): Utility - wireless communication facility
Square feet of building area(s): Lease area is 40' x 30' with prefab 8' x10' shelter
Total number of employees: None
Building Heights: Proposed tower is 149'

30. If your proposal is for a land division(s), show any slopes over 10% on the map or on an attached map.

None proposed

Annette Kephart

From: Padilla, Dave@DOT <dave.padilla@dot.ca.gov>
Sent: Thursday, December 19, 2019 3:15 PM
To: Annette Kephart
Cc: Navarro, Michael@DOT
Subject: RE: CUP 2019-029

Hello Annette,

We have no concerns with the proposed project.

Thank you,

DAVID PADILLA

Associate Transportation Planner
Caltrans
Office of Planning & Local Assistance
1352 W. Olive Avenue
Fresno, CA 93778-2616
Office: (559) 444-2493, Fax: (559) 445-5875

From: Navarro, Michael@DOT
Sent: Thursday, December 19, 2019 11:54 AM
To: Padilla, Dave@DOT <dave.padilla@dot.ca.gov>
Subject: Fwd: CUP 2019-029

Do you have this already? Looks familiar.

Michael Navarro
Chief, Transportation Planning - North
California Department of Transportation
District 6 – Division of Planning, Local Programs & Environmental Analysis
1352 W. Olive Avenue
P.O. Box 12616
Fresno, CA 93778-2616
Office (559) 445-5868
Cell (559) 840-7954
Email michael.navarro@dot.ca.gov

From: Annette Kephart <annette.kephart@maderacounty.com>
Sent: Thursday, December 19, 2019 11:39:54 AM
To: Navarro, Michael@DOT <michael.navarro@dot.ca.gov>
Subject: CUP 2019-029

CAUTION: External email. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good morning,

Please see the attached packet for CUP 2019-029 for your review.

Thank you,

Annette Kephart | Planner I
COMMUNITY AND ECONOMIC DEVELOPMENT, PLANNING
200 W. 4th Street, Suite 3100, Madera, CA 93637
Office: (559) 675-7821 | Cell: (559) 416-9098

Your message is ready to be sent with the following file or link attachments:

CUP 2019-029

Note: To protect against computer viruses, e-mail programs may prevent sending or receiving certain types of file attachments. Check your e-mail security settings to determine how attachments are handled.



Community and Economic Development
Environmental Health Division

Dexter Marr
Deputy Director

- 200 W. Fourth St.
- Suite 3100
- Madera, CA 93637
- TEL (559) 661-5191
- FAX (559) 675-6573
- TDD (559) 675-8970

MEMORANDUM

TO: Annette Kephart
FROM: Dexter Marr, Environmental Health Division
DATE: January 2, 2020
RE: Crown Castle - Conditional Use Permit - Oakhurst (064-062-041-000)

Comments

TO: Planning Division
FROM: Environmental Health Division
DATE: December 10, 2019
RE: Conditional Use Permit (CUP) #2019-029, Crown Castle, Oakhurst APN 064-062-041

The Environmental Health Division Comments:

The facility will be regulated under the Hazardous Material Business Plan and or Waste Generator depending on the type and/or amount of hazardous material on-site. (Article I, Chapter 6.95, of the California Health & Safety Code)

If facility is already regulated by this Division the applicant must update their Hazardous Material Business Plan if the hazardous material storage location or hazardous material quantity(s) has changed.

Maintain all County setback requirement as it pertains to onsite septic systems and water wells.

As of January 2013 all CUPA regulated businesses must submit their Hazardous Material Business Plan electronically into the California Environmental Reporting System (CERS) at: www.cers.calepa.ca.gov

The construction and then ongoing operation must be done in a manner that shall not allow any type of public nuisance(s) to occur including but not limited to the following nuisance(s); Dust, Odor(s), Noise(s), Lighting, Vector(s) or Litter. This must be accomplished under accepted and approved Best Management Practices (BMP) and as required by the County General Plan, County Ordinances and any other related State and/or Federal jurisdiction.

If there are any questions or comments regarding these conditions/requirements or for copies of any Environmental Health Permit Application forms, contact this Division at (559) 675-7823.

**Community and Economic Development
Fire Prevention Division**

Deborah Mahler, Fire Marshal
Deputy Director

- 200 W. Fourth St.
- Suite 3100
- Madera, CA 93637
- TEL (559) 661-5191
- FAX (559) 675-6573
- TDD (559) 675-8970

MEMORANDUM

TO: Annette Kephart
FROM: Deborah Mahler, Fire Marshal
DATE: January 27, 2020
RE: Crown Castle - Conditional Use Permit - Oakhurst (064-062-041-000)

Conditions

Site access modifications in regards to gates and path of vehicle travel may be required prior to final sign off of a building permit.

Community and Economic Development
Planning Division
Becky Beavers
Deputy Director

- 200 W. Fourth St.
- Suite 3100
- Madera, CA 93637
- (559) 675-7821
- FAX (559) 675-6573
- TDD (559) 675-8970
- mc_planning@maderacounty.com

MEMORANDUM

TO: Development Review Committee
FROM: Annette Kephart
DATE: February 18, 2020
RE: Crown Castle - Conditional Use Permit - Oakhurst (064-062-041-000)

1. Facility to operate in accordance with submitted Operational Statement and plans unless otherwise modified by conditions of approval and CEQA mitigation measures.
2. The applicant shall be required to maintain the facility at an acceptable level as determined by the Planning Department regarding visual/aesthetic components of the facility until such time as the tower is removed.
3. Lighting associated with this project is to be hooded and directed downward and away from adjoining parcels.
4. All parking and circulation areas within the project area shall be paved or surfaced with an approved material to reduce dust generation.
5. Applicant shall allow co-location opportunities on the tower.
6. The tower antennas shall be treated or coated in such a manner as to make it non-reflective.
7. Construction and operation of the facility must meet FCC standards for radio frequency operations.
8. An FAA approved light shall be installed at the top of the tower. The light shall be either white (preferable) or red strobe lights at the minimum number, intensity and flashes per minute shall be used.
9. A covenant for the removal of the cell tower when no longer needed will need to be recorded with the County prior to any construction.
10. No component of the tower or associated equipment shall create, or cause to be created electrical interference with aircraft communications or navigation.



Picayune Rancheria
of
CHUKCHANSI INDIANS
49260 Chapel Hill, PO Box 2226 * Oakhurst, CA 93644 * (559) 412-5590

RECEIVED

JAN 06 2020

MADERA COUNTY
PLANNING DEPARTMENT

January 3, 2020

Annette Kephart
Madera County Planning Department
200 W. 4th Street Suite #3100
Madera, CA 93637

Dear Ms. Kephart,

Picayune Rancheria of the Chukchansi Indians has received your letter in regards to CUP –(064-062-041-000) Crown Castle. At this time, we do not have concerns in regards to this project application.

Sincerely,

Heather Airey
THPO/Cultural Resources Director
559-676-9299
hairey@chukchansi-nsn.gov



Community and Economic Development Planning Division

Becky Beavers
Deputy Director

200 W. 4th Street
Suite 3100
Madera, CA 93637
(559) 675-7821
FAX (559) 675-6573
TDD (559) 675-8970
mc_planning@madera-county.com

PROJECT REVIEW REQUEST

DATE December 06, 2019

Community Advisory Councils

- Ahwahnee Community Council
- Coarsegold Area Plan Committee

- North Fork Community Development Council
- Oakhurst Community Advisory Council

Review Agencies

- Madera County Agricultural Commissioner
- Madera County Sheriff's Office
- City of Chowchilla Planning Department
- City of Madera Planning Department
- California Department of Fish and Game
- California Department of Housing
- California Department of Transportation (CALTRANS)
- California Department of Water Resources
- California Regional Water Quality Control Board
- California Department of Conservation
- California Division of Oil and Gas
- San Joaquin Valley Unified Air Pollution Control District
- Archaeological Information Center - Bakersfield

Requesting Tribes

Other: _____

Homeowners Associations

- Bass Lake Homeowners Assn
- Bonadelle Ranchos #5
- Bonadelle Ranchos Neighborhood Committee
- Cascadel Homeowners Assn
- Goldside Estates
- Hidden Lake Estates Homeowners Assn
- Indian Lakes Estates Property Owner Assn
- Lake Shore Park Subdivision
- Madera Ranchos Neighborhood Committee
- Pierce Lake Estates
- Pines Civic Council
- Rolling Hills Citizens Assn
- Sumner Hill Homeowners Assn
- Yosemite Lakes Park Owner Assn

RETURN TO:

ANNETTE KEPHART, Planning Department
200 West 4th Street
Madera, CA 93637
Phone: (559) 675-7821

REGARDING:

CUP #2019-029, Crown Castle - Conditional Use Permit - Oakhurst (064-062-041-000)

The request consists of a Conditional Use Permit to allow installation of a new wireless telecommunications facility. The proposed unmanned telecommunications facility will include a 149' monopole and will be located within a 40' x 30' lease area with a prefabricated concrete shelter. The project is located On the south side of Vista Heights Lane approximately 600 feet east of its intersection with Live Oak Drive (no situs), Oakhurst.

The attached application is being forwarded to you for your agency's review and comment. Please complete the attached Development Review form and return it to us prior to: December 20, 2019. If we do not receive comments from your Agency prior to this date, we will assume that your Agency has no comments to offer.

PLEASE ATTACH A COPY OF THIS COVER SHEET TO THE FRONT OF YOUR COMMENTS

NOTE: PLEASE WRITE LEGIBLY OR TYPE:

Application(s): CUP #2019-029

Return to: Annette Kephart, Planning Department

Crown Castle

Picayune Rancheria of the Chukchansi Indians

Responding Agency:

Date:

9 1/3/20

Respondent's Signature:

1. Does your Agency or Department have a recommendation regarding the approval or denial of this project?

Approve

Deny

If your Agency or Department recommends denial of this project, please list the reasons below.

N/A

2. If the project is approved, what conditions of approval are recommended?

If any cultural artifacts are found during ground disturbance, Picayune Rancheria of the Chukchansi Indians request that we be contacted immediately.

3. Please identify any existing regulations, standards, or routine processing procedures which would mitigate the potential impacts?

N/A

4. General Comments - Please attach on additional sheet.

NOTE: PLEASE WRITE LEGIBLY OR TYPE:

Application(s): CUP #2019-029

Return to: **Annette Kephart, Planning Department**

Crown Castle

Responding Agency: Peayme Rancheria of the Chukchansi Indians
 Contact Person: Heather Airey Signature: [Signature]
 Telephone No.: 559-795-5986 Date: 2/3/19

ENVIRONMENTAL REVIEW:

1. Is there sufficient information for you to evaluate the probable environmental impacts of this project?

Y Yes

No, the following information is needed:

2. What potential impacts will the project result in (e.g. change in traffic volumes, water quality, land use, soils air quality, etc.)? Be as precise as possible and answer only for your area of expertise.

3. Are the potential impacts identified in Question 2, significant enough to warrant the preparation of an EIR?

_____ Yes _____ No

EXHIBIT M


NOTE: PLEASE WRITE LEGIBLY OR TYPE:

Application(s): CUP #2019-029

Return to: Annette Kephart, Planning Department

Crown Castle

Responding Agency: Madera County Sheriff's Office Date: 12-17-2019

Respondent's Signature: 

1. Does your Agency or Department have a recommendation regarding the approval or denial of this project?

Approve

Deny

If your Agency or Department recommends denial of this project, please list the reasons below.

2. If the project is approved, what conditions of approval are recommended?

N/A

3. Please identify any existing regulations, standards, or routine processing procedures which would mitigate the potential impacts?

4. General Comments - Please attach on additional sheet.

NOTE: PLEASE WRITE LEGIBLY OR TYPE:

Application(s): CUP #2019-029

Return to: Annette Kephart, Planning Department

Crown Castle

Responding Agency: Madera County Sheriff's Office
Contact Person: Jay Varney Signature: [Signature]
Telephone No.: 675-7777 Date: 12-17-2019

ENVIRONMENTAL REVIEW:

1. Is there sufficient information for you to evaluate the probable environmental impacts of this project?

Yes

No, the following information is needed: _____

2. What potential impacts will the project result in (e.g. change in traffic volumes, water quality, land use, soils air quality, etc.)? Be as precise as possible and answer only for your area of expertise.

None in our area of expertise

3. Are the potential impacts identified in Question 2, significant enough to warrant the preparation of an EIR?

Yes No

**County of Madera
California Environmental Quality Act (CEQA)
Initial Study**

- 1. Project title:** Conditional Use Permit #2019-029, Crown Castle
- 2. Lead agency name and address:** County of Madera
Community and Economic Development Department
200 West 4th Street, Suite 3100
Madera, California 93637
- 3. Contact person and phone number:** Annette Kephart, Planner I
559-675-7821
Annette.kephart@maderacounty.com
- 4. Project Location & APN:** The project is located On the south side of Vista Heights Lane approximately 600 feet east of its intersection with Live Oak Drive (no situs), Oakhurst, APN: 064-062-041-000
- 5. Project sponsor's name and address:** Crown Castle
2055 S. Stearman Drive
Chandler, AZ 85286
- 6. General Plan Designation:** CC (Community Commercial) Designation
- 7. Zoning:** PDD (Planned Development) District
- 8. Description of project:** Installation of a new wireless telecommunications facility. The proposed unmanned telecommunications facility will include a 149' monopole and will be located within a 40' x 30' lease area with a prefabricated concrete shelter.
- 9. Surrounding Land Uses and Setting:** Commercial, Residential and Planned Development
- 10. Other Public Agencies Whose Approval is Required:** None
- 11. Have California Native American tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code Section 21080.3.1? If so, is there a plan for consultation that includes, for example, the determination of significance of impacts to tribal cultural resources, procedures regarding confidentiality, etc.?**
Local Tribes were contacted per AB 52. Comments received from Picayune Rancheria (See Section XVIII for additional discussion.)

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a “Potentially Significant Impact” as indicated by the checklist on the following pages.

- | | | |
|--|--|---|
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Agricultural/Forestry Resources | <input type="checkbox"/> Air Quality |
| <input type="checkbox"/> Biological Resources | <input type="checkbox"/> Cultural Resources | <input type="checkbox"/> Energy |
| <input type="checkbox"/> Geology/Soils | <input type="checkbox"/> Greenhouse Gas Emissions | <input type="checkbox"/> Hazards & Hazardous Materials |
| <input type="checkbox"/> Hydrology/Water Quality | <input type="checkbox"/> Land Use/Planning | <input type="checkbox"/> Mineral Resources |
| <input type="checkbox"/> Noise | <input type="checkbox"/> Population/Housing | <input type="checkbox"/> Public Services |
| <input type="checkbox"/> Recreation | <input type="checkbox"/> Transportation | <input type="checkbox"/> Tribal Cultural Resources |
| <input type="checkbox"/> Utilities/Service Systems | <input type="checkbox"/> Wildfire | <input type="checkbox"/> Mandatory Findings of Significance |

DETERMINATION	
On the basis of this initial evaluation:	
<input type="checkbox"/>	I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
<input checked="" type="checkbox"/>	I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
<input type="checkbox"/>	I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
<input type="checkbox"/>	I find that the proposed project MAY have a “potentially significant impact” or “potentially significant unless mitigated” impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
<input type="checkbox"/>	I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

Signature

Date

I. AESTHETICS

Except as provided in Public Resources Code Section 21099, would the project:

a) Have a substantial adverse effect on a scenic vista?

Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
--------------------------------------	--	------------------------------------	--------------

b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?

c) In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?

d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?

Responses:

(a - d) Less Than Significant Impact. There are no scenic vistas by the true definition (a scene view, or panorama of a particular area) in the vicinity of the project site. The topographic nature of the surroundings may be considered scenic, but there are not points to pull off State Highway 41 in the area that would be considered a vista point. The proposed design is a monopole tower and is located in an area with mixed commercial and residential use. The site is surrounded by dense brush and woodland and is not easily seen from Greenwood Way or Vista Heights Lane. Additionally, the proposed location is northwest of State Highway 41 approximately 725 feet and will have minimal interference with scenic views.

A nighttime sky in which stars are readily visible is often considered a valuable scenic/visual resource. In urban areas, views of the nighttime sky are being diminished by "light pollution." Light pollution, as defined by the International dark-Sky Association, is any adverse effect of artificial light, including sky glow, glare, light trespass, light clutter, decreased visibility at night, and energy waste. Two elements of light pollution may affect city residents: sky glow and light trespass. Sky glow is a result of light fixtures that emit a portion of their light directly upward into the sky where light scatters, creating an orange-yellow glow above a city or town. This light can interfere with views of the nighttime sky and can diminish the number of stars that are visible. Light trespass occurs when poorly shielded or poorly aimed fixtures cast light into unwanted areas, such as neighboring property and homes.

Light pollution is a problem most typically associated with urban areas. Lighting is necessary for nighttime viewing and for security purposes. However, excessive lighting or inappropriately designed lighting fixtures can disturb nearby sensitive land uses through indirect illumination. Land uses which are considered "sensitive" to this unwanted light include residences, hospitals, and care homes.

Daytime sources of glare include reflections off of light-colored surfaces, windows, and metal details on cars traveling on nearby roadways. The amount of glare depends on the intensity and direction of sunlight, which is more acute at sunrise and sunset because the angle of the sun is lower during these times.

II. AGRICULTURAL AND FORESTRY RESOURCES

In determining whether agricultural impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Dept. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment Project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board.

Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
--------------------------------------	--	------------------------------------	--------------

Would the project:

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) Conflict with existing zoning for agricultural use, or a Williamson Act contract? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) Result in the loss of forest land or conversion of forest land to non-forest use? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Responses:

(a - e) No Impact. No impacts associated with this project. The project parcel and its' surroundings are not zoned for timberland uses, so there will be no impacts. The parcel is zoned PDD (Planned Development) District and the General Plan Designation is Community Commercial which allows for communication towers with a Conditional Use Permit.

General Information

The California Land Conservation Act of 1965 -- commonly referred to as the Williamson Act -- enables local governments to enter into contracts with private landowners for the purpose of restricting specific parcels of land to agricultural or related open space use. In return, landowners receive property tax assessments which are much lower than normal because they are based upon farming and open space uses as opposed to full market value.

The Department of Conservation oversees the Farmland Mapping and Monitoring Program. The Farmland Mapping and Monitoring Program (FMMP) produce maps and statistical data used for analyzing impacts on California's agricultural resources. Agricultural land is rated according to soil quality and irrigation status; the best quality land is called Prime Farmland. The maps are updated every two years with the use of a computer mapping system, aerial imagery, public review, and field reconnaissance. The program's definition of farmland classification is below:

PRIME FARMLAND (P): Farmland with the best combination of physical and chemical features able to sustain long term agricultural production. This land has the soil quality, growing season, and moisture supply needed to produce sustained high yields. Land must have been used for irrigated agricultural production at some time during the four years prior to the mapping date.

FARMLAND OF STATEWIDE IMPORTANCE (S): Farmland similar to Prime Farmland but with minor shortcomings, such as greater slopes or less ability to store soil moisture. Land must have been used for irrigated agricultural production at some time during the four years prior to the mapping date.

UNIQUE FARMLAND (U): Farmland of lesser quality soils used for the production of the state's leading agricultural crops. This land is usually irrigated, but may include non-irrigated orchards or vineyards as found in some climatic zones in California. Land must have been cropped at some time during the four years prior to the mapping date.

FARMLAND OF LOCAL IMPORTANCE (L): Land of importance to the local agricultural economy as determined by each county's board of supervisors and a local advisory committee.

GRAZING LAND (G): Land on which the existing vegetation is suited to the grazing of livestock. This category was developed in cooperation with the California Cattlemen's Association, University of California Cooperative Extension, and other groups interested in the extent of grazing activities. The minimum mapping unit for Grazing Land is 40 acres.

URBAN AND BUILT-UP LAND (D): Land occupied by structures with a building density of at least 1 unit to 1.5 acres, or approximately 6 structures to a 10-acre parcel. This land is used for residential, industrial, commercial, institutional, public administrative purposes, railroad and other transportation yards, cemeteries, airports, golf courses, sanitary landfills, sewage treatment, water control structures, and other developed purposes.

OTHER LAND (X): Land not included in any other mapping category. Common examples include low density rural developments; brush, timber, wetland, and riparian areas not suitable for livestock grazing; confined livestock, poultry or aquaculture facilities; strip mines, borrow pits; and water bodies smaller than 40 acres. Vacant and nonagricultural land surrounded on all sides by urban development and greater than 40 acres is mapped as Other Land.

CONFINED ANIMAL AGRICULTURE: Poultry facilities, feedlots, and dairy facilities – this use may be a component of Farmland of Local Importance in some counties.

III. AIR QUALITY

Where available, the significance criteria established by the applicable air quality management district or air pollution control district may be relied upon to make the following determinations. Would the project:

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Conflict with, or obstruct implementation of, the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Responses:

(a - d) No Impact. . No impacts have been identified as a result of this project. The project will not impact implementation of any air quality plans. Currently there is a self-storage facility on the site. There will be construction activity for a temporary period of time, causing a temporary increase in emission levels in the area. Operationally, there are no emissions from the tower itself. Periodic visits to the site will be made for regular testing of equipment and required maintenance as needed. These visits are insignificant in light of the whole.

Sensitive receptors are facilities that “house or attract children, the elderly, people with illnesses, or others who are especially sensitive to the effects of air pollution. Hospitals, schools, convalescent facilities and residential areas are examples of sensitive receptors.” (GAMAQI, 2002).

Global Climate Change

Climate change is a shift in the “average weather” that a given region experiences. This is measured by changes in temperature, wind patterns, precipitation, and storms. Global climate is the change in the climate of the earth as a whole. It can occur naturally, as in the case of an ice age, or occur as a result of anthropogenic activities. The extent to which anthropogenic activities influence climate change has been the subject of extensive scientific inquiry in the past several decades. The Intergovernmental Panel on Climate Change (IPCC), recognized as the leading research body on the subject, issued its Fourth Assessment Report in February 2007, which asserted that there is “very high confidence” (by IPCC definition, a 9 in 10 chance of being correct) that human activities have resulted in a net warming of the planet since 1750.

CEQA requires an agency to engage in forecasting “to the extent that an activity could reasonably be expected under the circumstances. An agency cannot be expected to predict the future course of governmental regulation or exactly what information scientific advances may ultimately reveal” (CEQA Guidelines Section 15144, Office of Planning and Research commentary, citing the California Supreme

Court decision in *Laurel Heights Improvement Association v. Regents of the University of California* [1988] 47 Cal. 3d 376).

Recent concerns over global warming have created a greater interest in greenhouse gases (GHG) and their contribution to global climate change (GCC). However at this time there are no generally accepted thresholds of significance for determining the impact of GHG emissions from an individual project on GCC. Thus, permitting agencies are in the position of developing policy and guidance to ascertain and mitigate to the extent feasible the effects of GHG, for CEQA purposes, without the normal degree of accepted guidance by case law.

IV. BIOLOGICAL RESOURCES

Would the project:

Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
--------------------------------------	--	------------------------------------	--------------

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of a native wildlife nursery site? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Responses:

(a - f) No Impact. There are no habitats identified on this parcel, so no modifications are expected as a result. There are no projects or activities associated with this project off-site, therefore there will be no indirect impacts to habitats as a result. While there are candidate species identified in the quadrangle in which this project is located, given the development that has occurred in the area over the years, including

commercial and residential uses, the chances of any of the listed species being on the parcel are less than likely.

There are no known riparian habitats in the immediate vicinity of the project site. The operations of this project will not interfere with any habitats off site, either directly or indirectly.

There are no federally protected wetlands on or in the vicinity of this project. There are no streams or bodies of water of which migratory fish or other species that would use bodies of water would be impacted by this project.

During the construction of the facilities on site there is the potential of minimally impacting the migration patterns of listed species. This is due to noise production during the process of construction, which animals will instinctively avoid. This will be a temporary occurrence for the duration of the construction. Any disruption will be minimal as a result and will return to baseline levels at conclusion of the project construction. Operations of the facilities will have negligible impacts.

While the list below shows a number of species listed in the quadrangle in which this project is located, this does not necessarily mean that these species are actually located on the project site either in a habitat setting or migrating through.

The project will not conflict with any local policies or ordinances protecting biological resources or provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan.

General Information

Special Status Species include:

- Plants and animals that are legally protected or proposed for protection under the California Endangered Species Act (CESA) or Federal Endangered Species Act (FESA);
- Plants and animals defined as endangered or rare under the California Environmental Quality Act (CEQA) §15380;
- Animals designated as species of special concern by the U.S. Fish and Wildlife Service (USFWS) or California Department of Fish and Game (CDFG);
- Animals listed as “fully protected” in the Fish and Game Code of California (§3511, §4700, §5050 and §5515); and
- Plants listed in the California Native Plant Society’s (CNPS) Inventory of Rare and Endangered Vascular Plants of California.

A review of both the County’s and Department of Fish and Game’s databases for special status species have identified the following species:

Species	Federal Listings	State Listings	Dept. Of Fish and Game Listings	CNPS Listings
foothill yellow-legged frog	None	Candidate Threatened	SSC	-
California Spotted Owl	None	None	SSC	-

rufous hummingbird	None	None	-	-
An andrenid bee	None	None	-	-
western bumble bee	None	Candidate Endangered	-	-
valley elderberry longhorn beetle	Threatened	None	-	-
Sierra Nevada red fox	Candidate	Threatened	-	-
pallid bat	None	None	SSC	-
western pond turtle	None	None	SSC	-
Hall's wyethia	None	None	-	4.3
orange lupine	None	None	-	1B.2
Mariposa pussypaws	Threatened	None	-	1B.1
Yosemite evening- primrose	None	None	-	4.3
Kings River monkeyflower	None	None	-	3
slender-stalked monkeyflower	None	None	-	1B.2
Gray's monkeyflower	None	None	-	4.3
Madera leptosiphon	None	None	-	1B.2
Ewan's larkspur	None	None	-	4.2

Daulton Quadrangle

List 1A: Plants presumed extinct

List 1B: Plants Rare, Threatened, or Endangered in California and elsewhere.

List 2: Plants Rare, Threatened, or Endangered in California, but more numerous elsewhere

List 3 Plants which more information is needed – a review list

List 4: Plants of Limited Distributed - a watch list

Ranking

0.1 – Seriously threatened in California (high degree/immediacy of threat)

0.2 – Fairly threatened in California (moderate degree/immediacy of threat)

0.3 – Not very threatened in California (low degree/immediacy of threats or no current threats known)

SSC Species of Special Concern

WL Watch List

FP Fully Protected

Effective January 1, 2007, Senate Bill 1535 took effect that has changed de minimis findings procedures. The Senate Bill takes the de minimis findings capabilities out of the Lead Agency hands and puts the process into the hands of the California Department of Fish and Wildlife (formally the California Department of Fish and Game). A Notice of Determination filing fee is due each time a NOD is filed at the jurisdictions Clerk's Office. The authority comes under Senate Bill 1535 (SB 1535) and Department of Fish and Wildlife Code 711.4. Each year the fee is evaluated and has the potential of increasing. For the most up-to-date fees, please refer to: http://www.dfg.ca.gov/habcon/ceqa/ceqa_changes.html.

The Valley elderberry longhorn beetle was listed as a threatened species in 1980. Use of the elderberry

bush by the beetle, a wood borer, is rarely apparent. Frequently, the only exterior evidence of the elderberry's use by the beetle is an exit hole created by the larva just prior to the pupal stage. According to the USFWS, the Valley Elderberry Longhorn Beetle habitat is primarily in communities of clustered Elderberry plants located within riparian habitat. The USFWS stated that VELB habitat does not include every Elderberry plant in the Central Valley, such as isolated, individual plants, plants with stems that are less than one inch in basal diameter or plants located in upland habitat.

Wetlands are defined under Title 33 §328.3 of the California Code of Regulations as “those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas.”

V. CULTURAL RESOURCES

Would the project:

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Cause a substantial adverse change in the significance of a historical resource pursuant to §15064.5?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Responses:

(a - d) Less Than Significant Impact with Mitigation. While the County is known to potentially have historical and archaeological resources, due to the development of surrounding properties as residential and commercial, the chances of finding any archaeological or paleontological resources are less than likely. Most of the paleontological finds in Madera County have been found in the proximity of the landfill, located near the community of Fairmead. Most of the historical finds in Madera County have been found in the mountain and foothill areas above the valley floor due to previous Native American presence in the area. However, any new findings are unlikely on this parcel because the parcel itself is currently used as a mini storage. All parcels surrounding the site have been developed for residential and commercial use. The likelihood of any finds in this area is minimal. There are no known fossil bearing sediments on the project site. No known unique geological features in the vicinity of the project site exist. However, there is still the potential for uncovering previously unknown human remains or cemeteries. Therefore, the project will cease all operations in the event that any human remains, cemeteries, archaeological, paleontological, or historic resource is uncovered during the construction or operational phase of the project, until the County can determine whether or not the project can continue.

If project construction related activities (including but not limited to ground disturbing activities) result in the disturbing of subsurface cultural deposits, project related activities should be halted and a professional archaeologist will be brought in to determine the culture of the deposits.

General Information

Public Resource Code 5021.1(b) defines a historic resource as “any object building, structure, site, area or place which is historically significant in the architectural, engineering, scientific, economic, agricultural, educational, social, political, military, or cultural annals of California.” These resources are of such import, that it is codified in CEQA (PRC Section 21000) which prohibits actions that “disrupt, or adversely affect

a prehistoric or historic archaeological site or a property of historical or cultural significance to a community or ethnic or social groups; or a paleontological site except as part of a scientific study.”

Archaeological importance is generally, although not exclusively, a measure of the archaeological research value of a site which meets one or more of the following criteria:

- Is associated with an event or person of recognized significance in California or American history or of recognized scientific importance in prehistory.
- Can provide information which is both of demonstrable public interest and useful in addressing scientifically consequential and reasonable archaeological research questions.
- Has a special or particular quality such as oldest, best example, largest, or last surviving example of its kind.
- Is at least 100 years old and possesses substantial stratigraphic integrity (i.e. it is essentially undisturbed and intact).
- Involves important research questions that historic research has shown can be answered only with archaeological methods.

(CEQA Guidelines §15064.5 for definitions)

Paleontology is a branch of geology that studies the life forms of the past, especially prehistoric life forms, through the study of plant and animal fossils. Paleontological resources represent limited, non-renewable and impact sensitive and educational resources. Most of the paleontological finds have been on the valley floor.

VI. ENERGY

Would the project:

a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?

Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
--------------------------------	---	------------------------------	-----------

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

Responses:

(a - b) Less Than Significant Impact. The project is located in a Planned Development zone district and will be constructed in the same manner as other telecommunication facilities in the area. There is very little likelihood that there will be a significant impact to energy resources or that the project will conflict with any state or local energy resource plans.

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
VII. GEOLOGY AND SOILS				
Would the project:				
a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zone Map issued by the State Geologist for the area, or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ii) Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii) Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iv) Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Be located on a geological unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Responses:

(a i – iv) Less Than Significant Impact. The parcel is in an area where it is topographically conducive to landslides. The parcel in question for this project does slope down slightly towards State Highway 41 and does have some elevation changes within the property lines. There are chances of mild erosion potential during rainfall events, however the footprint of the project is minimal (30 feet x 40 feet) would have a less than significant impact.

(b) Less than Significant Impact. With construction there will be some erosion pattern changes. These changes are considered minimal as the footprint size of the project is minimal. There is already current road to access the project.

(c - f) No impact. There are no known impacts that will occur as a direct or indirect result of this project.

General Information

Madera County is divided into two major physiographic and geologic provinces: the Sierra Nevada Range and the Central Valley. The Sierra Nevada physiographic province in the northeastern portion of the county is underlain by metamorphic and igneous rock. It consists mainly of homogenous types of granitic rocks, with several islands of older metamorphic rock. The central and western parts of the county are part of the Central Valley province, underlain by marine and non-marine sedimentary rocks.

The foothill area of the county is essentially a transition zone, containing old alluvial soils that have been dissected by the west-flowing rivers and streams which carry runoff from the Sierra Nevada's.

Seismicity varies greatly between the two major geologic provinces represented in Madera County. The Central Valley is an area of relatively low tectonic activity bordered by mountain ranges on either side. The Sierra Nevada's, partly within Madera County, are the result of movement of tectonic plates which resulted in the creation of the mountain range. The Coast Ranges on the west side of the Central Valley are also a result of these forces, and continued movement of the Pacific and North American tectonic plates continues to elevate the ranges. Most of the seismic hazards in Madera County result from movement along faults associated with the creation of these ranges.

There are no active or potentially active faults of major historic significance within Madera County. The County does not lie within any Alquist Priolo Special Studies Zone for surface faulting or fault creep. However, there are two significant faults within the larger region that have been and will continue to be, the principle sources of potential seismic activity within Madera County.

San Andreas Fault: The San Andreas Fault lies approximately 45 miles west of the county line. The fault has a long history of activity and is thus a concern in determining activity in the area.

Owens Valley Fault Group: The Owens Valley Fault Group is a complex system containing both active and potentially active faults on the eastern base of the Sierra Nevada Range. This group is located approximately 80 miles east of the County line in Inyo County. This system has historically been the source of seismic activity within the County.

The *Draft Environmental Impact Report* for the state prison project near Fairmead identified faults within a 100 mile radius of the project site. Since Fairmead is centrally located along Highway 99 within the county, this information provides a good indicator of the potential seismic activity which might be felt within the County. Fifteen active faults (including the San Andreas and Owens Valley Fault Group) were identified in the *Preliminary Geotechnical Investigation*. Four of the faults lie along the eastern portion of the Sierra Nevada Range, approximately 75 miles to the northeast of Fairmead. These are the Parker Lake, Hartley Springs, Hilton Creek and Mono Valley Faults. The remaining faults are in the western portion of the San Joaquin Valley, as well as within the Coast Range, approximately 47 miles west of Fairmead. Most of the remaining 11 faults are associated with the San Andreas, Calaveras, Hayward and Rinconada Fault Systems which collectively form the tectonic plate boundary of the Central Valley.

In addition, the Clovis Fault, although not having any historic evidence of activity, is considered to be active within quaternary time (within the past two million years), is considered potentially active. This fault line lies approximately six miles south of the Madera County line in Fresno County. Activity along this fault could potentially generate more seismic activity in Madera County than the San Andreas or Owens Valley fault systems. However, because of the lack of historic activity along the Clovis Fault, there is inadequate evidence for assessing maximum earthquake impacts.

Seismic ground shaking, however, is the primary seismic hazard in Madera County because of the County's seismic setting and its record of historical activity (General Plan Background Element and

Program EIR). The project represents no specific threat or hazard from seismic ground shaking, and all new construction will comply with current local and state building codes. Other geologic hazards, such as landslides, lateral spreading, subsidence, and liquefaction have not been known to occur within Madera County.

According to the Madera County General Plan Background Report, groundshaking is the primary seismic hazard in Madera County. The valley portion of Madera County is located on alluvium deposits, which tend to experience greater groundshaking intensities than areas located on hard rock. Therefore, structures located in the valley will tend to suffer greater damage from groundshaking than those located in the foothill and mountain areas.

Liquefaction is a process whereby soil is temporarily transformed to a fluid form during intense and prolonged ground shaking. According to the Madera County General Plan Background Report, although there are areas of Madera County where the water table is at 30 feet or less below the surface, soil types in the area are not conducive to liquefaction because they are either too coarse in texture or too high in clay content; the soil types mitigate against the potential for liquefaction.

Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
--------------------------------------	--	------------------------------------	--------------

VIII. GREENHOUSE GAS EMISSIONS

Would the project:

- | | | | | |
|--|--------------------------|--------------------------|-------------------------------------|-------------------------------------|
| a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Responses:

(a) Less Than Significant Impact. What little greenhouse gases generated will be from vehicular traffic related to the construction of the facilities. Operationally, there will only be one vehicle traveling to the site for maintenance purposes. The operations of the site does not require constant staffing and will require a technician for routine maintenance once a month. While these are seen as potential impacts, they will be minimal.

(b) No Impact. There is no anticipated impact as a result of this project.

Greenhouse Gas (GHG) Emissions: The potential effect of greenhouse gas emission on global climate change is an emerging issue that warrants discussion under CEQA. Unlike the pollutants discussed previously that may have regional and local effects, greenhouse gases have the potential to cause global changes in the environment. In addition, greenhouse gas emissions do not directly produce a localized impact, but may cause an indirect impact if the local climate is adversely changed by its cumulative contribution to a change in global climate. Individual development projects contribute relatively small amounts of greenhouse gases that when added to other greenhouse gas producing activities around the world would result in an increase in these emissions that have led many to conclude is changing the global climate. However, no threshold has been established for what would constitute a cumulatively considerable increase in greenhouse gases for individual development projects. The State of California has taken several actions that help to address potential global climate change impacts.

Assembly Bill 32 (AB 32), the California Global Warming Solutions Act of 2006, outlines goals for local agencies to follow in order to bring Greenhouse Gas (GHG) emissions to 1990 levels (a 25% overall reduction) by the year 2020. The California Air Resources Board (CARB) holds the responsibility of monitoring and reducing GHG emissions through regulations, market mechanisms and other actions. A Draft Scoping Plan was adopted by CARB in order to provide guidelines and policy for the State to follow in its steps to reduce GHG. According to CARB, the scoping plan's GHG reduction actions include: direct regulations, alternative compliance mechanisms, monetary and non-monetary incentives, voluntary actions, and market-based mechanisms such as a cap-and-trade system.

Following the adoption of AB 32, the California State Legislature adopted Senate Bill 375, which became the first major bill in the United States that would aim to limit climate change by linking directly to "smart growth" land use principles and transportation. It adds incentives for projects which intend to be in-fill, mixed use, affordable and self-contained developments. SB 375 includes the creation of a Sustainable Communities Strategy (SCS) through the local Metropolitan Planning Organizations (MPO) in order to create land use patterns which reduce overall emissions and vehicle miles traveled. Incentives include California Environmental Quality Act streamlining and possible exemptions for projects which fulfill specific criteria.

IX. HAZARDS AND HAZARDOUS MATERIALS

Would the project:

a) Create a significant hazard to the public or the environment through the routine transport, use or disposal of hazardous materials?

Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
--------------------------------	---	------------------------------	-----------

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	-------------------------------------	--------------------------

d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

f) Impair implementation of, or physically interfere with, an adopted emergency response plan or emergency evacuation plan?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?

Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Responses:

A material is considered hazardous if it appears on a list of hazardous materials prepared by a federal, state, or local agency, or if it has characteristics defined as hazardous by such an agency. The California Code of Regulations (CCR) defines a hazardous material as a substance that, because of physical or chemical properties, quantity, concentration, or other characteristics, may either (1) cause an increase in mortality or an increase in serious, irreversible, or incapacitating illness; or (2) pose a substantial present or potential hazard to human health or environment when improperly treated, stored, transported or disposed of, or otherwise managed (CCR Title 22 Division 4.5 Chapter 10 Article 2 §66260.10).

Hazardous wastes are defined in the same manner. Hazardous wastes are hazardous materials that no longer have practical use, such as substances that have been discarded, discharged, spilled, contaminated or are being stored prior to proper disposal. Hazardous materials and hazardous wastes are classified according to four properties: toxicity, ignitability, corrosively, and reactivity.

In and of itself, the site will not create or use hazardous materials in the strict definition of the term. The closest material that could be considered a hazardous material is the diesel that will be used in powering the emergency generator.

(a, b, d) No Impact. No impacts identified as a result of this project.

Any hazardous material because of its quantity, concentration, physical or chemical properties, pose a significant present or potential hazard to human health and safety, or the environment the California legislature adopted Article I, Chapter 6.95 of the Health and Safety Code, Sections 25500 to 25520 that requires any business handling or storing a hazardous material or hazardous waste to establish a Business Plan. The information obtained from the completed Business Plans will be provided to emergency response personnel for a better-prepared emergency response due to a release or threatened release of a hazardous material and/or hazardous waste.

Business owners that handle or store a hazardous material or mixtures containing a hazardous material, which has a quantity at any one time during the year, equal to or greater than:

- 1) A total of 55 gallons,
- 2) A total of 500 pounds,
- 3) 200 cubic feet at standard temperature and pressure of compressed gas,
- 4) Any quantity of Acutely Hazardous Material (AHM).

Assembly Bill AB 2286 requires all business and agencies to report their Hazardous Materials Business Plans to the Certified Unified Program Agency (CUPA) information electronically at <http://cers.calepa.ca.gov>


The site is not located on or near any hazardous waste storage facilities, or on or near any

brownfields sites as indicated by the Environmental Protection Agency.

(c) Less Than Significant Impact. The only hazardous materials (as technically and traditionally defined) known to exist at telecommunication facilities tends to be diesel fuel used to operate the emergency generator. When the generator and containment systems are properly maintained, the likelihood of release in to the environment is minimal.

In regards to potential health hazards, the major component to be considered would be RF (radio frequency) electromagnetic fields. Determining whether a potential health hazard could exist with respect to a given transmitting antenna is not always a simple matter. Several important factors must be considered in making that determination. This includes: (1) what is the frequency RF signal being transmitted; (2) what is the operating power of the transmitting station; (3) how long will someone be exposed to the RF signal at a given distance from the antenna; and (4) what other antennas are located in the area, and what is the exposure to those antennas.


RF signals may be transmitted over a wide range of frequencies. The frequency of an RF signal is expressed in terms of cycles per second or "Hertz", abbreviated "Hz." One kilohertz (kHz) equals one thousand Hz, one megahertz (MHz) equals one million Hz and one gigahertz (GHz) equals one billion Hz. In the figure below, AM radio signals are at the lower end of the RF spectrum, while other radio services, such as analog and digital TV (DTV), cellular and PCS telephony, and point-to-point microwave services are much higher in frequency.



As the frequency increases, the wavelength of the transmitted signal decreases
 Mhz = Megahertz Milliois or cycles per second

Illustration 1

Electromagnetic Spectrum



Electromagnetic Frequency Radiation (EMF) comes in two forms: ionizing and non-ionizing. There has been demonstrated causal links between ionizing EMF and DNA damage and possible cancer risks. No research to date has definitively shown a causal link between specific diseases and non-ionizing EMF. A variety of studies have been conducted on the effects of exposure to low level of RF radiation. An FCC report has stated that any evidence that such low-level exposures causes harmful biological effects is ambiguous and unproven.

Biological effects can result from exposure to very high levels of RF radiation. This is typically referred to as "thermal" effects. Effects are typically at the tissue level are due to the body's inability to cope with the excessive heat. At relatively low levels of exposure, such as those found at ground level relative to cell towers, biological effects is ambiguous and unproven. A number of reports have appeared in the scientific literature describing the observation of a range of biological effects resulting from exposure to low levels of RF energy. However, in most cases, further experimental research has been unable to reproduce those effects. Furthermore, since much of the research is not done on whole bodies, there has been no determination that such effects constitute a human health hazard.

In the case of cellular site transmitters, the FCC's RF exposure guidelines recommend a maximum permissible exposure level to the general public of approximately 580 microwatts per square centimeter. This limit is many times greater than RF levels typically found near the base of cellular cell sites or in the vicinity of lower-powered cell site transmitters. Calculations corresponding to a "worst case" situation (all transmitters operating simultaneously and continuously at the maximum licensed power) show that, in order to be exposed to RF levels near the FCC's guidelines, an individual would essentially have to remain in the main transmitting beam and within a few feet of the antenna for several minutes or longer. Thus, the possibility of a member of the general public could be exposed to RF levels in excess of the FCC guidelines is extremely remote.

The FCC (Federal Communications Commission) requires that applicants for licenses determine whether proposed tower sites will cause human exposure to levels of radiofrequency (RF) radiation in excess of Commission-adopted guidelines. The Federal Communication Commission (FCC or Commission) has determined through calculations and technical analysis that due to their low power or height above ground level, many facilities by their very nature are highly unlikely to cause human exposures in excess of FCC guideline limits. The proposed tower site will be categorically excluded from routine evaluation of RF radiation under Section 1.1307(b) of the Commission's rules because the height above ground level to the lowest point on the antenna is greater than 30 feet.

Cellular wireless radio services transmit using frequencies between 824 and 894 megahertz (MHz). Antennas used for cellular transmissions are typically located on towers, water tanks or other elevated structures. The combination of antennas and associated electronic equipment is referred to as a "base station" or "cell site." Typical heights for free-standing base station towers or structures are 50- 200 feet. A cellular base station may utilize several "omni-directional" antennas that look like poles 10 to 15 feet in length, although these types of antennas are less common in urbanized areas.

In urban and suburban areas, cellular service providers commonly use "sector" antennas for their base stations. These antennas are rectangular panels about 1 by 4 feet in size mounted on towers. Panel antennas are usually arranged in three groups of three each. It is common that not all antennas are used for the transmission of RF energy, some antennas may be receive only.

At a given cell site, the total RF power that could be radiated by the antennas depends on the number of radio channels (transmitters) installed, the power of each transmitter, and the type of antenna. While it is theoretically possible for cell sites to radiate at very high power levels, the maximum power radiated in any direction usually does not exceed 500 watts.

The RF emissions from cellular base station antennas are generally directed toward the horizon in a relatively narrow pattern in the vertical plane. In the case of sector (panel) antenna, the pattern is fan-shaped, like a wedge cut from a pie. As with all forms of electromagnetic energy, the power density from the antenna decreases rapidly as one moves away from the antenna. Consequently, ground-level exposures are much less than exposures if one were at the same height and directly in front of the antenna.

Measurements made near typical cellular installations, especially those with tower-mounted antennas, have shown that ground-level power densities are hundreds to thousands of times less than the FCC's limits for safe exposure. This makes it extremely unlikely that a member of the general public could be exposed to RF levels in excess of FCC guidelines due solely to cellular base station antenna located on towers or monopoles.

Some studies have also examined the possibility of a link between RF exposure and cancer. Results to date have been inconclusive. While some experimental data have suggested a possible link between exposure and tumor formation in animals exposed under certain specific conditions, the results have not been independently replicated. Many other studies have failed to find evidence for a link to cancer or any related condition.

As constructed and maintained, in conjunction with conditions of approval and mitigations, this impact will remain as less than significant.

(e) No Impact. The project is not located anywhere near the Chowchilla or Madera airports. The project is located outside of the County's Airport Land Use Compatibility Zone.

Per the Airport Land Use Compatibility Plan, any cell tower structure within the airport compatibility zones that are 150 feet in height from ground level to peak of tower or higher would be under the Airport Land Use Commission (ALUC) purview for review of compatibility (ALUC Policy 3.5.1). This height measurement is independent of the elevation at ground level. As this faux water tower style tower is 132 feet in height at peak, and is outside the compatibility zones for both airports, an ALUC review is not necessary.

The intent of an airspace overlay zone is to reduce the potential for airport or airstrip hazards because it is found that:

- An airport/airstrip hazard endangers the lives and property of users of landing fields and property or occupants in the vicinity of landing fields;
- An airport hazard of the obstructive type in effect reduces the size of the area available for landing, takeoff, and maneuvering of aircraft, thus tending to destroy or impair the utility of an airport and the public investment therein;
- The creation or establishment of an airport hazard is a public nuisance and an injury to the region served by the airport affected;

- It is necessary to prevent the creation or establishment of airport hazards in order to protect the public health, safety and general welfare, and to promote the most appropriate use of land;
- The elimination removal, alteration, mitigation and lighting of existing airport hazards are public purposes for which political subdivisions may need to raise and expend public funds.

In short, any construction of structures, even cellular structures, in areas proximate to an airstrip or airport must not pose a flight hazard either by design or electronic interference.

(f) No impact. Per the Airport Land Use Compatibility Plan, any cell tower structure within the airport compatibility zones that are 150 feet in height from ground level to peak of tower or higher would be under the Airport Land Use Commission (ALUC) purview for review of compatibility (ALUC Policy 3.5.1). This height measurement is independent of the elevation at ground level. As this monopole style tower is 149' - W (one hundred forty nine feet) in height at peak, and is outside the compatibility zones for both airports, an ALUC review is not necessary.

(g) Less Than Significant Impact. While the project in and of itself would be conducive to starting wildfires, the area around the project is residentially and commercially developed. There are trees and shrubbery around the project site, but it is located in the urban are of Oakhurst and the surrounding property areas are landscaped and cleared of debris. The proposed project will not expose residents in the area to higher risks of fire danger.

The California Department of Forestry and Fire Protection (Cal-Fire) provides for protection services to most of Madera County. The stations within the vicinity include the facility located in Oakhurst (Station #12), Bass Lake (Station #12), and facilities in Coarsegold, and Ahwahnee.

Access to the project must meet current driveway standards prior to issuance of a building permit for the project.

With associated mitigations and conditions of approval, this impact will be maintained as less than significant.

X. HYDROLOGY AND WATER QUALITY

Would the project:

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or groundwater quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
that the project may impede sustainable groundwater management of the basin?				
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(i) result in substantial erosion or siltation on- or off-site;	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(ii) substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or offsite;	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(iii) create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(iv) impede or redirect flood flows?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Responses:

(a, b) No Impact. No impacts identified as a result of this project.

(c- e) Less Than Significant Impact. There is a river located 0.3 mile south of the project, but there is numerous commercial and residential developments which would prevent drainage from the project into a waterway , having an additional non-porous surface (the pad where the equipment will be) has the potential of redirecting rainfall.

Rainfall is unable to percolate into paving that is expected to be on each site (building pad, driveways, structures, etc.) and is converted almost entirely into storm run-off, often exceeding the capacity of existing drainage system, causing intermittent flooding, increased flooding and other adverse impacts. It is possible that the quality of storm water may be affected by pollution such as, but not limited to, oil, grease, and fuel, dissolved metals from batteries and glycols from automotive coolant or antifreeze. The applicant shall mitigate any impacts associated with storm water contamination caused by this project.

The project will not substantially, if at all, alter any course in streams. The Fresno River runs 0.3

miles south of the project but the area located between the river and the project site has previously been developed for commercial and residential use. There will be some alteration of site drainage patterns during rainfall patterns, especially if any impervious surfaces are introduced. This rainfall alteration has the potential of inducing erosion at locations not having been exposed to erosion before, but the chances are that it won't be substantial.

There is the potential of localized flooding that could occur in the vicinity of the project. This is dependent on rain fall, site features and drainage.

A seiche is an occasional and sudden oscillation of the water of a lake, bay or estuary producing fluctuations in the water level and caused by wind, earthquakes or changes in barometric pressure. A tsunami (from the Japanese language, roughly translated as "harbor wave") is an unusually large sea wave produced by seaquake or undersea volcanic eruption. According to the California Division of Mines and Geology, there are no active or potentially active faults of major historic significance within Madera County. Additionally, there are no bodies of water (lakes, etc.) within proximity of the site. Madera County is geographically located in the center of the state, therefore not affected by tsunamis.

With conditions of approval and mitigations throughout the project, this impact will be maintained as less than significant.

General Information

Groundwater quality contaminants of concern in the Valley Floor include high salinity (total dissolved solids), nitrate, uranium, arsenic, methane gas, iron, manganese, slime production, and dibromochloropropane with the maximum contaminant level exceeded in some areas. Despite the water quality issues noted above, most of the groundwater in the Valley Floor is of suitable quality for irrigation. Groundwater of suitable quality for public consumption has been demonstrated to be present in most of the area at specific depths.

Groundwater quality contaminants of concern in the Foothills and Mountains include manganese, iron, high salinity, hydrogen sulfide gas, uranium, nitrate, arsenic, and methylbutylethylene (MTBE) with the maximum concentration level being exceeded in some areas. Despite these problems, there are substantial amounts of good-quality groundwater in each of the areas evaluated in the Foothills and Mountains. Iron and manganese are commonly removed by treatment. Uranium treatment is being conducted on a well by the Bass Lake Water Company.

A seiche is an occasional and sudden oscillation of the water of a lake, bay or estuary producing fluctuations in the water level and caused by wind, earthquakes or changes in barometric pressure. A tsunami is an unusually large sea wave produced by seaquake or undersea volcanic eruption (from the Japanese language, roughly translated as "harbor wave"). According to the California Division of Mines and Geology, there are no active or potentially active faults of major historic significance within Madera County. As this property is not located near any bodies of water, no impacts are identified.

The flood hazard areas of the County of Madera are subject to periodic inundation which results in loss of life and property, health and safety hazards, disruption of commerce and governmental services, extraordinary public expenditures for flood protection and relief, and impairment of the tax base, all of which adversely affect the public health, safety and general welfare. These flood losses are caused by uses that are inadequately elevated, floodproofed, or protected from flood

damage. The cumulative effect of obstruction in areas of special flood hazards which increase flood height and velocities also contribute to flood loss.

XI. LAND USE AND PLANNING

Would the project:

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Cause a significant environmental impact due to a conflict with any applicable land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Responses:

(a - b) No Impact. This project will not physically divide an existing community and is not in conflict with any applicable land use plan, policy or regulation.

The applicant is following the ordinance by applying for a Conditional Use Permit which would allow the facility in this zone district. The proposal will not be in conflict with applicable land use (zoning) or with the General Plan and Oakhurst Area Plan.

The general plan designation of CC (Community Commercial) allows for public and quasi-public uses. Quasi-public uses are typically defined as essentially public (as in services rendered) under private ownership or control. Public uses include public utilities. The zoning designation of PDD (Panned Development) District allows for communication towers with a conditional use permit. The purpose of the PDD (Planned Development) District is to encourage and facilitate the creative and innovative use of land which may otherwise be limited or prohibited by the standard provisions of other parts of this title. The PDD district is designed to allow diversity in the relationship between buildings and open spaces so as to create unique, interesting physical environments that maximize usable open space, while at the same time to preserve the public health, safety and welfare. All development in the PDD district shall be consistent with the county general plan. Both the General Plan and Zoning designations allow for resale, wholesale, services restaurant and compatible uses.

XII. MINERAL RESOURCES

Would the project:

Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
--------------------------------	---	------------------------------	-----------

a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

Responses:

(a - b) No Impact. There are no known minerals in the vicinity of the project site.

XIII. NOISE

Would the project result in:

Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
--------------------------------	---	------------------------------	-----------

a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinances, or applicable standards of other agencies?

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	-------------------------------------	--------------------------

b) Generation of excessive groundborne vibration or groundborne noise levels?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

Responses:

(a) Less Than Significant Impact. There is the potential of a slight increase of noise generation for the duration of construction. This increase is expected to be minimal and temporary for the duration of the construction phase of the project. Operationally, it is not expected to generate noise to a significant level, if any at all. The electrical equipment that supports the tower may emit a little noise, but it is not significant enough to be heard by local residents. The back-up generator will only run during routine testing and during power outages, so there is no significant impacts associated with it.

(b - c) No Impact. The proposed project is projected to have no real significant increase in ambient noise levels.

This project is not within proximity to an airstrip or airport. It is not within an airport/airspace overlay district. There will be no impacts as a result.

General Discussion

The Noise Element of the Madera County General Plan (Policy 7.A.5) provides that noise which will be created by new non-transportation noise sources shall be mitigated so as not to exceed the Noise Element noise level standards on lands designated for noise-sensitive uses. However, this policy does not apply to noise levels associated with agricultural operations. All the surrounding properties, while include some residential units, are designated and zoned for agricultural uses. This impact is therefore considered less than significant.

Construction noise typically occurs intermittently and varies depending upon the nature or phase of construction (e.g. demolition/land clearing, grading and excavation, erection). The United States Environmental Protection Agency has found that the average noise levels associated with construction activities typically range from approximately 76 dBA to 84 dBA Leq, with intermittent individual equipment noise levels ranging from approximately 75 dBA to more than 88 dBA for brief periods.

Short Term Noise

Noise from localized point sources (such as construction sites) typically decreases by approximately 6 dBA with each doubling of distance from source to receptor. Given the noise attenuation rate and assuming no noise shielding from either natural or human-made features (e.g. trees, buildings, and fences), outdoor receptors within approximately 400 feet of construction site could experience maximum noise levels of greater than 70 dBA when onsite construction-related noise levels exceed approximately 89 dBA at the project site boundary. Construction activities that occur during the more noise-sensitive eighteen hours could result in increased levels of annoyance and sleep disruption for occupants of nearby existing residential dwellings. As a result, noise-generating construction activities would be considered to have a potentially significant short-term impact. However with implementation of mitigation measures, this impact would be considered less than significant.

Long Term Noise

Mechanical building equipment (e.g. heating, ventilation and air conditioning systems, and boilers), associated with the proposed structures, could generate noise levels of approximately 90 dBA at 3 feet from the source. However, such mechanical equipment systems are typically shielded from direct public exposure and usually housed on rooftops, within equipment rooms, or within exterior enclosures.

Landscape maintenance equipment, such as leaf blowers and gasoline powered mowers, could result in intermittent noise levels that range from approximately 80 to 100 dBA at 3 feet, respectively. Based on an equipment noise level of 100 dBA, landscape maintenance equipment (assuming a noise attenuation rate of 6 dBA per doubling of distance from the source) may result in exterior noise levels of approximately 75 dBA at 50 feet.

MAXIMUM ALLOWABLE NOISE EXPOSURE FOR NON-TRANSPORTATION NOISE SOURCES*

		Residential	Commercial	Industrial (L)	Industrial (H)	Agricultural
Residential	AM	50	60	55	60	60
	PM	45	55	50	55	55
Commercial	AM	60	60	60	65	60
	PM	55	55	55	60	55
Industrial (L)	AM	55	60	60	65	60
	PM	50	55	55	60	55
Industrial (H)	AM	60	65	65	70	65
	PM	55	60	60	65	60
Agricultural	AM	60	60	60	65	60
	PM	55	55	55	60	55

*As determined at the property line of the receiving land use. When determining the effectiveness of noise mitigation measures, the standards may be applied on the receptor side of noise barriers at the property line.

AM = 7:00 AM to 10:00 PM

PM = 10:00 PM to 7:00 AM

L = Light

H = Heavy

Note: Each of the noise levels specified above shall be lowered by 5 dB for pure tone noises, noises consisting primarily of speech or music, or for recurring impulsive noises. These noise level standards do not apply to residential units established in conjunction with industrial or commercial uses (e.g. caretaker dwellings).

Sensitive Noise Receptors include residential areas, hospitals, schools, performance spaces, businesses, and religious congregations.

Vibrating objects in contact with the ground radiate energy through the ground. Vibrations from large and/or powerful objects are perceptible by humans and animals. Vibrations can be generated by construction equipment and activities. Vibrations attenuate depending on soil characteristics and distance. Vibration perception threshold: The minimum ground or structure-borne vibrational motion necessary to cause a normal person to be aware of the vibration by such direct means as, but not limited to, sensation by touch or visual observation of moving objects. The perception threshold shall be presumed to be a motion velocity of one-tenth (0.1) inches per second over the range of one to one hundred Hz.

Reaction of People and Damage to Buildings from Continuous Vibration Levels		
Velocity Level, PPV (in/sec)	Human Reaction	Effect on Buildings
0.006 to 0.019	Threshold of perception; possibility of intrusion	Damage of any type unlikely

0.08	Vibration readily perceptible	Recommended upper level of vibration to which ruins and ancient monuments should be subjected
0.10	Continuous vibration begins to annoy people	Virtually no risk of architectural damage to normal buildings
0.20	Vibration annoying to people in buildings	Risk of architectural damage to normal dwellings such as plastered walls or ceilings
0.4 to 0.6	Vibration considered unpleasant by people subjected to continuous vibrations	Architectural damage and possibly minor structural damage
Source: Whiffen and Leonard 1971		

XIV. POPULATION AND HOUSING

Would the project:

a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and business) or indirectly (for example, through extension of roads or other infrastructure)?

Potentially Significant Impact Less Than Significant With Mitigation Incorporation Less Than Significant Impact No Impact

b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?

Responses:

(a - b) No Impact. No impacts identified as a result of this project.

XV. PUBLIC SERVICES

Potentially Significant Impact Less Than Significant With Mitigation Incorporation Less Than Significant Impact No Impact

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:				
i) Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
ii) Police protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii) Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
iv) Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
v) Other public facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Responses:

(a.i) No Impact. While the area may be prone to wildfires, the project itself is not seen as an impact as a result of construction. If anything, it is anticipated to be an asset during emergencies for communications to local residents as well as emergency responders utilizing cell phone related communication devices.

There are fire stations in Oakhurst and Bass Lake that would be able to respond in time of need to this location. The closest station is Madera County Fire Station #12 in Oakhurst and is in close proximity of the project site.

(a.ii) Less Than Significant Impact. The proposed project in and of itself would not result in any additional demands for police protection with the exception of ancillary need for potential events of vandalism and theft. Crime and emergency response is provided by the Madera County Sherriff's Department. There will be an incidental need for law enforcement in the events of theft and vandalism on the project site. The Madera County Sheriff had no concerns with the project.

A Federal Bureau of Investigations 2009 study suggests that there is on average of 2.7 law enforcement officials per 1,000 population for all reporting counties. The number for cities had an average of 1. 7 law enforcement officials per 1,000 population.

(a.iii) No Impact. No impacts are anticipated as a result of this project as it does not relate to any educational programs or increase the surrounding population.

Single Family Residences have the potential for adding to school populations. The average per Single Family Residence is:

Grade	Student Generation per Single Family
-------	--------------------------------------

	Residence
K – 6	0.425
7 – 8	0.139
9 – 12	0.214

(a.iv) No Impact. No impacts are anticipated as a direct, indirect, short or long term impact as a result of this project.

The Madera County General Plan allocates three acres of park available land per 1,000 residents' population.

(a.v) No Impact. No impacts identified as a result of this project.

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
XVI. RECREATION				
a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Responses:

(a - b) No Impact. No impacts have been identified to recreational facilities as a result of this project.

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
XVII. TRANSPORTATION				
Would the project:				
a) Conflict with a program, plan, ordinance, or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
b) Would the project conflict or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b)?				
c) Substantially increase hazards due to a geometric design feature (e.g. sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Responses:

(a – d) No Impact. In the area around the proposed project, opportunities for bicycles and pedestrians, especially as an alternative to the private automobile, are significantly limited by lack of developed shoulders, sidewalks or pavement width accommodating either mode. The condition is not uncommon in rural areas where distances between origins and destinations are long and the terrain is either rolling or mountainous.

As with most rural areas, Madera County is served by limited alternative transportation modes. Currently, only limited public transportation facilities or routes exist within the area. Volunteer systems such as the driver escort service, as well as the senior bus system, operate for special purpose activities and are administered by the Madera County Action Committee. The rural densities which are prevalent throughout the region have typically precluded successful public transit systems, which require more concentrated populations in order to gain sufficient ridership.

Local circulation is largely deficient with these same State Highways and County Roads composing the only existing network of through streets. Most local streets are dead-end drives, many not conforming to current County improvement standards. Existing traffic, particularly during peak hour and key intersections, already exhibits congestion.

During the period of any potential construction of the project, it is expected that there will be some construction related vehicles.

The project site is located off of Greenwood Way in Oakhurst and would not result in impacts to emergency access.

Madera County currently uses Level Of Service “D” as the threshold of significance level for roadway and intersection operations. The following charts show the significance of those levels.

Level of Service	Description	Average Control Delay (sec./car)
A	Little or no delay	0 – 10
B	Short traffic delay	>10 – 15
C	Medium traffic delay	> 15 – 25

D	Long traffic delay	> 25 – 35
E	Very long traffic delay	> 35 – 50
F	Excessive traffic delay	> 50

Unsignalized intersections.

Level of Service	Description	Average Control Delay (sec./car)
A	Uncongested operations, all queues clear in single cycle	< 10
B	Very light congestion, an occasional phase is fully utilized	>10 – 20
C	Light congestion; occasional queues on approach	> 20 – 35
D	Significant congestion on critical approaches, but intersection is functional. Vehicles required to wait through more than one cycle during short peaks. No long-standing queues formed.	> 35 – 55
E	Severe congestion with some long-standing queues on critical approaches. Traffic queues may block nearby intersection(s) upstream of critical approach(es)	> 55-80
F	Total breakdown, significant queuing	> 80

Signalized intersections.

Level of service	Freeways	Two-lane rural highway	Multi-lane rural highway	Expressway	Arterial	Collector
A	700	120	470	720	450	300
B	1,100	240	945	840	525	350
C	1,550	395	1,285	960	600	400
D	1,850	675	1,585	1,080	675	450
E	2,000	1,145	1,800	1,200	750	500

Capacity per hour per lane for various highway facilities

Madera County is predicted to experience significant population growth in the coming years (62.27 percent between 2008 and 2030). Accommodating this amount of growth presents a challenge for attaining and maintain air quality standards and for reducing greenhouse gas emissions. The increase in population is expected to be accompanied by a similar increase in vehicle miles traveled (VMT) (61.36 percent between 2008 and 2030).

Horizon Year	Total Population (thousands)	Employment (thousands)	Average Weekday VMT (millions)	Total Lane Miles
2010	175	49	5.4	2,157
2011	180	53	5.5	NA
2017	210	63	6.7	NA
2020	225	68	7.3	2,264
2030	281	85	8.8	2,277

Source: MCTC 2007 RTP

The above table displays the predicted increase in population and travel. The increase in the lane miles of roads that will serve the increase in VMT is estimated at 120 miles or 0.94 percent by 2030. This indicates that roadways in Madera County can be expected to become much more crowded than is currently experienced.

Emissions of CO (Carbon Monoxide) are the primarily mobile-source criteria pollutant of local concern. Local mobile-source CO emissions near roadway intersections are a direct function of traffic volume, speed and delay. Carbon monoxide transport is extremely limited; it disperses rapidly with distance from the source under normal meteorological conditions. Under certain meteorological conditions, however, CO concentrations close to congested roadway or intersection may reach unhealthy levels, affecting local sensitive receptors (residents, school children, hospital patients, the elderly, etc.). As a result, the SJVAPCP recommends analysis of CO emissions of at a local rather than regional level. Local CO concentrations at intersections projected to operate at level of service (LOS) D or better do not typically exceed national or state ambient air quality standards. In addition, non-signalized intersections located within areas having relatively low background concentrations do not typically have sufficient traffic volumes to warrant analysis of local CO concentrations.

As with most rural areas, Madera County is served by limited alternative transportation modes. Currently, only limited public transportation facilities or routes exist within the area. Volunteer systems such as the driver escort service, as well as the senior bus system, operate for special purpose activities and are administered by the Madera County Action Committee. The rural densities which are prevalent throughout the region have typically precluded successful public transit systems, which require more concentrated populations in order to gain sufficient ridership.

Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
--------------------------------	---	------------------------------	-----------

XVIII. TRIBAL CULTURAL RESOURCES

Would the project:

- a) Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code

Section 21074 as either a site, feature, place cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:

- | | | | | | |
|-----|---|--------------------------|--------------------------|-------------------------------------|-------------------------------------|
| i. | Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code Section 5020.1(k), or | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| ii. | A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resources Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

Responses:

(a.i) No Impact. There are no sites listed on the historical registry on this parcel.

(a.ii) Less than Significant with Mitigation Incorporation. No known tribal cultural resources exist on the project site, however there is still the potential for uncovering previously unknown tribal cultural resources. Therefore, the project will cease all operations in the event that any human remains, cemeteries, archaeological, paleontological, or historic resource is uncovered during the construction or operational phase of the project, until the County can determine whether or not the project can continue. The local tribes were invited to comment on the project, but no responses were received.

XIX. UTILITIES AND SERVICE SYSTEMS

Would the project:

- | | Potentially Significant Impact | Less Than Significant With Mitigation Incorporation | Less Than Significant Impact | No Impact |
|--|--------------------------------|---|------------------------------|-------------------------------------|
| a) Require or result in the relocation or construction of new or expanded water, wastewater treatment, or stormwater drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry and multiple dry years? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it had adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Responses:

(a - e) No Impact. No impacts identified as a result of this project. No water will be utilized and no wastewater generated as a result of this project as it is an unmanned cellular tower project.

General Discussion

Madera County has 34 County Service Areas and Maintenance Districts that together operate 30 small water systems and 16 sewer systems. Fourteen of these special districts are located in the Valley Floor, and the remaining 20 special districts are in the Foothills and Mountains. MD-1 Hidden Lakes, Bass Lake (SA-2B and SA-2C) and SA-16 Sumner Hill have surface water treatment plants, with the remaining special districts relying solely on groundwater.

The major wastewater treatment plants in the County are operated in the incorporated cities of Madera and Chowchilla and the community of Oakhurst. These wastewater systems have been recently or are planned to be upgraded, increasing opportunities for use of recycled water. The cities of Madera and Chowchilla have adopted or are in the process of developing Urban Water Management Plans. Most of the irrigation and water districts have individual groundwater management plans. All of these agencies engage in some form of groundwater recharge and management.

Groundwater provides almost the entire urban and rural water use and about 75 percent of the agricultural water use in the Valley Floor. The remaining water demand is met with surface water. Almost all of the water use in the Foothills and Mountains is from groundwater with only three small water treatment plants relying on surface water from the San Joaquin River and its tributaries.

In areas of higher precipitation (Oakhurst, North Fork, and the topographically higher part of the Coarsegold Area), groundwater recharge is adequate for existing uses. However, some problems have been encountered in parts of these areas due to well interference and groundwater quality issues. In areas of lower precipitation (Raymond-Hensley Lake and the lower part of the Coarsegold area), groundwater recharge is more limited, possibly requiring additional water supply from other sources to support future development.

Madera County is served by a solid waste facility (landfill) in Fairmead. There is a transfer station in North Fork. The Fairmead facility also provides for Household Hazardous Materials collections on Saturdays. The unincorporated portion of the County is served by Red Rock Environmental Group. Above the 1000 foot elevation, residents are served by EMADCO services for solid waste pick-up.

XX. WILDFIRE

If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Substantially impair an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Responses:

(a - d) Less than Significant Impact. The potential for the project to result in wildland fires is not anticipated to be significant. The project site is located on a current mini storage site and has adequate access. In addition it is located in close proximity from a Cal Fire Station. The access road must comply with current driveway standards prior to issuance of the building permit for the project.

XIX. MANDATORY FINDINGS OF SIGNIFICANCE

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
--	--------------------------------	---	------------------------------	-----------

	Potentially Significant Impact	Less Than Significant With Mitigation Incorporation	Less Than Significant Impact	No Impact
a) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are significant when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Responses:

CEQA defines three types of impacts or effects:

- Direct impacts are caused by a project and occur at the same time and place (CEQA §15358(a)(1).
- Indirect or secondary impacts are reasonably foreseeable and are caused by a project but occur at a different time or place. They may include growth inducing effects and other effects related to changes in the pattern of land use, population density or growth rate and related effects on air, water and other natural systems, including ecosystems (CEQA §15358(a)(2).
- Cumulative impacts refer to two or more individual effects which, when considered together, are considerable or which compound or increase other environmental impacts (CEQA §15355(b)). Impacts from individual projects may be considered minor, but considered retroactively with other projects over a period of time, those impacts could be significant, especially where listed or sensitive species are involved.

(a) Less than Significant Impact. While there are some species of note in the quadrangle, there is no direct evidence that these species are exactly on the footprint of where this is going.

(b - c) No Impact. While there have been some minimal impacts identified through this study, none are considered significant in and of themselves, and/or cumulative inducing enough to be considered significant. With appropriate mitigations, those impacts can be reduced to less than significant or not significant.

Bibliography

Madera County General Plan

California Department of Finance

California Department of Transportation (CALTRANS)

California Integrated Waste Management Board

California Environmental Quality Act Guidelines

United States Environmental Protection Agency

Caltrans website http://www.dot.ca.gov/hq/LandArch/scenic_highways/index.htm accessed December 31, 2020

California Department of Fish and Game "California Natural Diversity Database"
<http://www.dfg.ca.gov/biogeodata/cnddb/>

Madera County Airport Land Use Compatibility Plan

Madera County Air Quality Element of the General Plan (2010)

Madera County Integrated Regional Water Management Plan

Madera County Department of Environmental Health

Madera County Department of Public Works

Madera County Roads Department

Madera County Fire Marshall's Office

A Local Government Official's Guide to Transmitting Antenna RF Emission Safety: Rules, Procedures, and Practical Guidance. Federal Communications Commission. 2000

MND 2019-029

1

January 8, 2020

MITIGATED NEGATIVE DECLARATION**MND 2020-001**

RE: Crown Castle – Conditional Use Permit #2019-029

LOCATION AND DESCRIPTION OF PROJECT:

The subject property is located on the south side of Vista Heights Lane approximately 600 feet east of its intersection with Live Oak Drive (no situs), Oakhurst. The project is a request for a Conditional Use Permit to allow installation of a new AT&T unmanned wireless facility. The project will include a 30'x40' AT&T Lease Area with a prefabricated concrete equipment shelter, and a 149' monopole tower. The tower will be visited monthly for maintenance.

ENVIRONMENTAL IMPACT:

No adverse environmental impact is anticipated from this project. The following mitigation measures are included to avoid any potential impacts.

BASIS FOR NEGATIVE DECLARATION:

1. Please see attached Mitigation Monitoring Report.



Annette Kephart

Madera County Environmental Committee

A copy of the negative declaration and all supporting documentation is available for review at the Madera County Community & Economic Development Department - Planning Division, 200 West 4th Street, Ste. #3100, Madera, California.

DATED: January 8, 2020

FILED:

PROJECT APPROVED: