


CORNER RECORD

COUNTY OF Madera T. 7 S. R. 22 E. M.D.B. & M. MERIDIAN CALIFORNIA

CORNER TYPE: GOVT. CORNER MEANDER RANCHO CONTROL OTHER

CORNER IDENTIFICATION — DATE OF VISIT December 8 1983



The northwest corner of section 31 7/22.
(common to sections 25 and 36 7/21 and sections 30 and 31 7/22)

CORNER — LEFT AS FOUND FOUND AND TAGGED REESTABLISHED OBLITERATED CORNER RESULT

PHYSICAL DESCRIPTION OF CORNER FOUND; EVIDENCE AND METHOD USED TO IDENTIFY OR REESTABLISH
Found and Accepted: A GLO iron pipe, 1 3/8" O.D., up 6", in a 3 1/2' x 3' x 2' high rock mound, with a 2 1/2" brass cap, stamped for the corner, the date and the GLO logo. Found 3 bearing trees per field notes of A.W. Brown, U.S. Deputy Surveyor, 1917.

PHYSICAL DESCRIPTION OF MONUMENTS RESULT OR PERPETUATED
 Left the monument as found.
 Set a metal post with Forest Service monument signs attached, 4' ± SE of the corner.

CALIFORNIA COORDINATE SYSTEM ORDER: FIRST SECOND THIRD
 STATIONS USED: NGS (USC & GS) STATE COUNTY OTHER STATION _____ STATION _____
 ZONE _____ ELEVATION _____ NORTHINGS (N) _____ EASTINGS (E) _____

SKETCH: (Include reference tie or witness points, remarks and topo of area)

Corner Ties:

1917 GLO Bearing Trees:

1. A Black Oak, 21.6" dia., bears S 01° 34' W, 81.1'.
(healed blaze) (no nail)
2. A Ponderosa Pine, 25.5" dia., bears N 27° 26' E, 132.4'. (no nail)
3. A Ponderosa Pine snag, 30" dia., bears S 63° 26' E, 62.2'. (healed blaze) (no nail)

Cap Inscription

T 7 S
 R 21 E R 22 E
 S 25 | S 30
 S 36 | S 31
 1917

New Bearing Objects:

4. A Black Oak, 13.2" dia., bears S 53° 53' W, 22.42'.
5. A Ponderosa Pine, 22.1" dia., bears N 49° 55' W, 50.83'.
6. A chiseled "+" on an 8' x 6' x 6' high rock, bears
N 31° 24' 02" E, 36.29'.

V-1
 F.B. 19/58
 Mon. Bk. 2/73
 Job No. 83-20
 (Continued on back)

SUBDIVISION CERTIFICATE

THIS CORNER RECORD WAS PREPARED BY ME OR UNDER MY DIRECTION IN CONFORMANCE WITH THE LAND SURVEYORS ACT ON _____

SIGNED: Howard Arnold Cohen 1983

L.S. No. 4689

LS 4689
SEAL
STATE OF CALIF.

COUNTY SURVEYOR'S CERTIFICATE

THE CORNER RECORD WAS RECEIVED 10/27/86 AND EXAMINED AND FILED 11/10/86

BY: James C. Johnson

TITLE: _____

DOCUMENT No. _____

STATEMENT ON BACK OF SHEET YES NO

7. An Incense Cedar, 8.9" dia., bears S 21° 23' E, 35.20'.

The corner lies in a gulch, course N 25° E.

The centerline of a dirt road lies approximately 70' north of the corner.

Bearings are to the center of trees at the base. Distances are horizontal to a nail and tag (stamped LS 4689) driven into the side center of the root crown, unless otherwise noted.

Posted Forest Service monument signs on trees # 1, 2, and 3.

Posted Forest Service monument and bearing tree signs on trees #5 and 7.

Blazed and scribed tree # 5 in accordance with the BLM 1973 "Manual of Surveying Instructions".

082210200

